
Printing date 11/05/2014 Reviewed on 06/24/2014

1 Identification

- · Product identifier
- · Trade name: Screen Prep & Degreaser
- · Article number: 0750 JL
- · Details of the supplier of the safety data sheet
- · Manufacturer/Supplier: 101 South Bayview Blvd. Oldsmar, FL 34677



- · Information department: Product Safety Department
- · Emergency telephone number: ChemTel Inc. (800) 255-3924 Intl. +01 (813) 248-0585

2 Hazard(s) identification

· Classification of the substance or mixture



Skin Corr. 1A H314 Causes severe skin burns and eye damage.

- · Label elements
- · GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS).
- · Hazard pictograms



GHS05

- · Signal word Danger
- · Hazard-determining components of labeling:

potassium hydroxide sodium hydroxide

· Hazard statements

Causes severe skin burns and eye damage.

· Precautionary statements

If medical advice is needed, have product container or label at hand.

Keep out of reach of children.

Read label before use.

Do not breathe dust/fume/gas/mist/vapours/spray.

IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

Specific treatment (see on this label).

Store locked up.

Dispose of contents/container in accordance with local/regional/national/international regulations.

(Contd. on page 2)



(Contd. of page 1)

Safety Data Sheet acc. to OSHA HCS

Printing date 11/05/2014 Reviewed on 06/24/2014

Trade name: Screen Prep & Degreaser

· Classification system:

· NFPA ratings (scale 0 - 4)



Health = 4 Fire = 0Reactivity = 0

· HMIS-ratings (scale 0 - 4)



- · Other hazards
- · Results of PBT and vPvB assessment
- · **PBT**: Not applicable. · **vPvB**: Not applicable.

3 Composition/information on ingredients

- · Chemical characterization: Mixtures
- · Description: Mixture of the substances listed below with nonhazardous additions.

· Dangerous components:		
111-76-2	2-butoxyethanol	2.5-10%
1310-58-3	potassium hydroxide	2.5-10%
1310-73-2	sodium hydroxide	2.5-10%

4 First-aid measures

- · Description of first aid measures
- · General information:

Immediately remove any clothing soiled by the product.

Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.

· After inhalation:

Supply fresh air. If required, provide artificial respiration. Keep patient warm. Consult doctor if symptoms persist. In case of unconsciousness place patient stably in side position for transportation.

- · After skin contact: Immediately wash with water and soap and rinse thoroughly.
- · After eye contact:

Remove contact lenses if able to do so.

Rinse opened eye for several minutes under running water. Then consult a doctor.

· After swallowing:

Do not induce vomiting; immediately call for medical help.

A person vomiting while lying on their back should be turned onto their side.

Drink copious amounts of water and provide fresh air. Immediately call a doctor.

· Most important symptoms and effects, both acute and delayed

Nausea

Corrosive and extremely irritating to all tissues.

Gastric or intestinal disorders

Cramp

(Contd. on page 3)

Printing date 11/05/2014 Reviewed on 06/24/2014

Trade name: Screen Prep & Degreaser

(Contd. of page 2)

· Indication of any immediate medical attention and special treatment needed No further relevant information available.

5 Fire-fighting measures

- · Extinguishing media
- · Suitable extinguishing agents:

CO2, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

- · Special hazards arising from the substance or mixture No further relevant information available.
- · Advice for firefighters
- · Protective equipment: Mouth respiratory protective device.

6 Accidental release measures

· Personal precautions, protective equipment and emergency procedures

Wear protective equipment. Keep unprotected persons away.

· Environmental precautions:

Dilute with plenty of water.

Do not allow to enter sewers/ surface or ground water.

· Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Use neutralizing agent.

Dispose contaminated material as waste according to item 13.

Ensure adequate ventilation.

· Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

7 Handling and storage

· Precautions for safe handling

Ensure good ventilation/exhaustion at the workplace.

Prevent formation of aerosols.

- · Information about protection against explosions and fires: No special measures required.
- · Conditions for safe storage, including any incompatibilities
- · Storage:
- · Requirements to be met by storerooms and receptacles:

Unsuitable material for receptacle: glass or ceramic.

Unsuitable material for receptacle: aluminium.

- · Information about storage in one common storage facility: Store away from foodstuffs.
- · Further information about storage conditions: Keep receptacle tightly sealed.
- · Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

· Additional information about design of technical systems: No further data; see item 7.

(Contd. on page 4)

Printing date 11/05/2014 Reviewed on 06/24/2014

Trade name: Screen Prep & Degreaser

(Contd. of page 3)

	rol parameters
· Com	ponents with limit values that require monitoring at the workplace:
111-7	76-2 2-butoxyethanol
PEL	Long-term value: 240 mg/m³, 50 ppm Skin
REL	Long-term value: 24 mg/m³, 5 ppm Skin
TLV	Long-term value: 97 mg/m³, 20 ppm BEI
1310	-58-3 potassium hydroxide
REL	Ceiling limit value: 2 mg/m³
TLV	Ceiling limit value: 2 mg/m³
1310	-73-2 sodium hydroxide
PEL	Long-term value: 2 mg/m³
REL	Ceiling limit value: 2 mg/m³
TLV	Ceiling limit value: 2 mg/m³
· Ingre	edients with biological limit values:
111-7	76-2 2-butoxyethanol
	200 mg/g creatinine Medium: urine Time: end of shift

- · Additional information: The lists that were valid during the creation were used as basis.
- · Exposure controls
- · Personal protective equipment:
- · General protective and hygienic measures:

 ${\it Keep \ away \ from \ foodstuffs, \ beverages \ and \ feed.}$

Immediately remove all soiled and contaminated clothing.

Parameter: Butoxyacetic acid with hydrolysis

Wash hands before breaks and at the end of work.

Avoid contact with the eyes and skin.

· Breathing equipment:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air.

· Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

· Material of gloves

Neoprene gloves

PVC or PE gloves

Nitrile rubber, NBR

Butyl rubber, BR

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

(Contd. on page 5)

Printing date 11/05/2014 Reviewed on 06/24/2014

Trade name: Screen Prep & Degreaser

(Contd. of page 4)

· Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye protection:



Tightly sealed goggles

· Body protection:

Apron

Alkaline resistant protective clothing

9 Physical and chemical properties

Information on basic physical and chemical properties General Information Appearance: Form: Color: Clear Color: Clear Odor: Characteristic Odour threshold: Not determined. - pH-value at 20 °C (68 °F): I3.6 Change in condition Melting point/Melting range: Boiling point/Boiling range: I00 °C (212 °F) - Flash point: Not applicable. - Flammability (solid, gaseous): Not applicable. - Ignition temperature: Not determined. - Auto igniting: Product is not selfigniting. - Danger of explosion: Product does not present an explosion hazard. - Explosion limits: Lower: Not determined Vapor pressure: Not determined. - Vapor pressure: Not determined Pensity at 20 °C (68 °F): I.18 g/cm³ (9.847 lbs/gal) Not determined Vapor density Not determined Solubility in / Miscibility with Water: Fully miscible.			
General Information Appearance: Form: Color: Clear Characteristic Odour threshold: Not determined. PH-value at 20 °C (68 °F): 13.6 Change in condition Melting point/Melting range: Boiling point/Melting range: Not applicable. Flash point: Not applicable. Flammability (solid, gaseous): Not applicable. Ignition temperature: 240 °C (464 °F) Decomposition temperature: Not determined. - Auto igniting: Product is not selfigniting. - Danger of explosion: Product does not present an explosion hazard. - Explosion limits: Lower: Upper: Not determined. Not determined. - Vapor pressure: Not determined Vapor pressure: Not determined Vapor pressure: Not determined Vapor up ressure: Not determined Vapor up ressure: Not determined Vapor up density Not determined Vapor up density Not determined Vapor up density Not determined Not determined.	· Information on basic physical and chemical properties		
- Appearance: Form: Color: Clear Odor: Characteristic Not determined. - pH-value at 20 °C (68 °F): 13.6 - Change in condition Melting point/Melting range: Boiling point/Boiling range: 100 °C (212 °F) - Flash point: Not applicable. - Flammability (solid, gaseous): Not applicable. - Ignition temperature: - Decomposition temperature: Not determined. - Auto igniting: - Product is not selfigniting. - Danger of explosion: - Product does not present an explosion hazard. - Explosion limits: Lower: Upper: Not determined Vapor pressure: Not determined Density at 20 °C (68 °F): - 1.18 g/cm³ (9.847 lbs/gal) - Relative density Not determined Vapor density Not determined Solubility in / Miscibility with Water: - Fully miscible.			
Form: Color: Color: Color: Codor: Characteristic Not determined. - pH-value at 20 °C (68 °F): - Change in condition Melting point/Melting range: Boiling point/Boiling range: - Flash point: Not applicable Flammability (solid, gaseous): - Ignition temperature: - Decomposition temperature: - Not determined Auto igniting: - Product is not selfigniting Danger of explosion: - Product does not present an explosion hazard Explosion limits: Lower: Lower: Not determined Vapor pressure: Not determined Vapor pressure: Not determined Vapor density - Relative density - Vapour density - Vapour density - Vapour density - Vapour density - Valous in Miscibility with Water: Fully miscible.	· ·		
Color: Clear Characteristic Odour threshold: Not determined. PH-value at 20 °C (68 °F): 13.6 Change in condition Melting point/Melting range: Boiling point/Boiling range: 100 °C (212 °F) Flash point: Not applicable. Flammability (solid, gaseous): Not applicable. Ignition temperature: 240 °C (464 °F) Decomposition temperature: Not determined. Auto igniting: Product is not selfigniting. Danger of explosion: Product does not present an explosion hazard. Explosion limits: Lower: Not determined. Upper: Not determined. Vapor pressure: Not determined. Density at 20 °C (68 °F): 1.18 g/cm³ (9.847 lbs/gal) Not determined. Vapour density Not determined. Solubility in / Miscibility with Water: Fully miscible.		Liquid	
Odor: Odour threshold: Not determined. PH-value at 20 °C (68 °F): 13.6 Change in condition Melting point/Melting range: Boiling point/Boiling range: Not applicable. Flash point: Not applicable. Flammability (solid, gaseous): Not applicable. Ignition temperature: 240 °C (464 °F) Decomposition temperature: Not determined. Auto igniting: Product is not selfigniting. Danger of explosion: Product does not present an explosion hazard. Explosion limits: Lower: Not determined. Not determined. Vapor pressure: Not determined. Density at 20 °C (68 °F): Relative density Not determined. Not determined. Solubility in / Miscibility with Water: Fully miscible.			
Odour threshold: Not determined. PH-value at 20 °C (68 °F): 13.6 Change in condition Melting point/Melting range: Boiling point/Boiling range: Vindetermined. Boiling point/Boiling range: Voc (212 °F) Flash point: Not applicable. Flammability (solid, gaseous): Not applicable. Ignition temperature: 240 °C (464 °F) Decomposition temperature: Not determined. Auto igniting: Product is not selfigniting. Danger of explosion: Product does not present an explosion hazard. Explosion limits: Lower: Not determined. Vapor pressure: Not determined. Vapor pressure: Not determined. Not determined. Vapour density Not determined. Not determined. Not determined. Solubility in / Miscibility with Water: Fully miscible.			
· pH-value at 20 °C (68 °F): · Change in condition Melting point/Melting range: Boiling point/Boiling range: · Flash point: · Flash point: · Flammability (solid, gaseous): · Ignition temperature: · Decomposition temperature: · Not determined. · Auto igniting: · Product does not present an explosion hazard. · Explosion limits: Lower: Upper: Not determined. · Vapor pressure: Not determined. · Density at 20 °C (68 °F): Relative density Not determined. · Vapour density Not determined. · Solubility in / Miscibility with Water: Fully miscible.			
Change in condition Melting point/Melting range: Boiling point/Boiling range: 100 °C (212 °F) Not applicable. Flash point: Not applicable. Ignition temperature: 240 °C (464 °F) Decomposition temperature: Not determined. Auto igniting: Product is not selfigniting. Danger of explosion: Product does not present an explosion hazard. Explosion limits: Lower: Not determined. Vapor pressure: Not determined. Density at 20 °C (68 °F): Relative density Not determined. Not determined. Solubility in / Miscibility with Water: Fully miscible.			
Melting point/Melting range: Boiling point/Boiling range: Flash point: Not applicable. Flammability (solid, gaseous): Not applicable. Ignition temperature: 240 °C (464 °F) Decomposition temperature: Not determined. Auto igniting: Product is not selfigniting. Product does not present an explosion hazard. Explosion limits: Lower: Upper: Not determined. Vapor pressure: Not determined. Density at 20 °C (68 °F): Relative density Not determined.	· pH-value at 20 °C (68 °F):	13.6	
Melting point/Melting range: Boiling point/Boiling range: Flash point: Not applicable. Flammability (solid, gaseous): Not applicable. Ignition temperature: 240 °C (464 °F) Decomposition temperature: Not determined. Auto igniting: Product is not selfigniting. Product does not present an explosion hazard. Explosion limits: Lower: Upper: Not determined. Vapor pressure: Not determined. Density at 20 °C (68 °F): Relative density Not determined.	· Change in condition		
Boiling point/Boiling range: 100 °C (212 °F) Flash point: Not applicable. Flammability (solid, gaseous): Not applicable. Ignition temperature: 240 °C (464 °F) Decomposition temperature: Not determined. Auto igniting: Product is not selfigniting. Danger of explosion: Product does not present an explosion hazard. Explosion limits: Lower: Not determined. Upper: Not determined. Vapor pressure: Not determined. Density at 20 °C (68 °F): 1.18 g/cm³ (9.847 lbs/gal) Relative density Not determined. Vapour density Not determined. Solubility in / Miscibility with Water: Fully miscible.		Undetermined.	
Flash point: Not applicable. Flammability (solid, gaseous): Not applicable. Ignition temperature: 240 °C (464 °F) Decomposition temperature: Not determined. Auto igniting: Product is not selfigniting. Danger of explosion: Product does not present an explosion hazard. Explosion limits: Lower: Not determined. Upper: Not determined. Vapor pressure: Not determined. Density at 20 °C (68 °F): 1.18 g/cm³ (9.847 lbs/gal) Relative density Not determined. Vapour density Not determined. Solubility in / Miscibility with Water: Fully miscible.		100 °C (212 °F)	
 Flammability (solid, gaseous): Not applicable. Ignition temperature: 240 °C (464 °F) Decomposition temperature: Not determined. Auto igniting: Product is not selfigniting. Danger of explosion: Product does not present an explosion hazard. Explosion limits: Lower: Not determined. Upper: Not determined. Vapor pressure: Not determined. Density at 20 °C (68 °F): 1.18 g/cm³ (9.847 lbs/gal) Relative density Not determined. Vapour density Not determined. Evaporation rate Not determined. Solubility in / Miscibility with Water: Fully miscible. 		1 /	
 Ignition temperature: 240 °C (464 °F) Decomposition temperature: Not determined. Auto igniting: Product is not selfigniting. Danger of explosion: Product does not present an explosion hazard. Explosion limits:	· Flash point:	Not applicable.	
Decomposition temperature: Not determined. Product is not selfigniting. Product does not present an explosion hazard. Explosion limits: Lower: Not determined. Upper: Not determined. Vapor pressure: Not determined. Density at 20 °C (68 °F): Relative density Vapour density Vapour density Not determined. Solubility in / Miscibility with Water: Fully miscible.	· Flammability (solid, gaseous):	Not applicable.	
Auto igniting: Product is not selfigniting. Product does not present an explosion hazard. Explosion limits: Lower: Not determined. Vapor pressure: Not determined. Not determined. Poensity at 20 °C (68 °F): Relative density Vapour density Vapour density Not determined. Fully miscible.	· Ignition temperature:	240 °C (464 °F)	
 Danger of explosion: Product does not present an explosion hazard. Explosion limits: Lower:	· Decomposition temperature:	Not determined.	
• Explosion limits: Lower: Upper: Not determined. • Vapor pressure: Not determined. • Density at 20 °C (68 °F): Relative density Vapour density Not determined. • Vapour density Not determined. • Evaporation rate Not determined. • Solubility in / Miscibility with Water: Fully miscible.	· Auto igniting:	Product is not selfigniting.	
Lower: Upper: Not determined. Not determined. Vapor pressure: Not determined. Density at 20 °C (68 °F): 1.18 g/cm³ (9.847 lbs/gal) Relative density Not determined. Vapour density Not determined. Evaporation rate Not determined. Solubility in / Miscibility with Water: Fully miscible.	· Danger of explosion:	Product does not present an explosion hazard.	
Lower: Upper: Not determined. Not determined. Vapor pressure: Not determined. Density at 20 °C (68 °F): 1.18 g/cm³ (9.847 lbs/gal) Relative density Not determined. Vapour density Not determined. Evaporation rate Not determined. Solubility in / Miscibility with Water: Fully miscible.	· Explosion limits:		
Upper: Not determined. Vapor pressure: Not determined. Density at 20 °C (68 °F): Relative density Not determined. Vapour density Not determined. Evaporation rate Not determined. Not determined. Fully miscible.	•	Not determined	
· Vapor pressure: · Density at 20 °C (68 °F): · Relative density · Vapour density · Vapour density · Evaporation rate · Solubility in / Miscibility with Water: Not determined. Fully miscible.		Not determined.	
Density at 20 °C (68 °F): Relative density Not determined. Vapour density Not determined. Evaporation rate Not determined. Not determined. Fully miscible.	**		
 Relative density Vapour density Evaporation rate Solubility in / Miscibility with Water: Fully miscible. 	<u> </u>		
 Vapour density Not determined. Evaporation rate Not determined. Solubility in / Miscibility with Water: Fully miscible. 	· Density at 20 °C (68 °F):	1.18 g/cm³ (9.847 lbs/gal)	
· Evaporation rate · Solubility in / Miscibility with Water: Fully miscible.	· Relative density	Not determined.	
· Solubility in / Miscibility with Water: Fully miscible.	· Vapour density	Not determined.	
Water: Fully miscible.	Evaporation rate	Not determined.	
Water: Fully miscible.	· Solubility in / Miscibility with		
The state of the s		Fully miscible.	
· Partition coefficient (n-octanol/water): Not determined.	· Partition coefficient (n-octanol/water):	· Not determined.	
· Viscosity:	· Viscosity:		
Dynamic: Not determined.		Not determined.	

(Contd. on page 6)

Printing date 11/05/2014 Reviewed on 06/24/2014

Trade name: Screen Prep & Degreaser

	(Contd. of	page 5)
Kinematic:	Not determined.	
· Solvent content:		
Organic solvents:	0.0~%	
Water:	87.2 %	
VOC content:	68.7 g/l / 0.57 lb/gl	
Solids content:	14.1 %	
· Other information	No further relevant information available.	

10 Stability and reactivity

- · Reactivity
- · Chemical stability
- · Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions

Reacts with strong oxidizing agents.

Reacts with acids.

Corrodes aluminium.

- · Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products:

Potassium Oxides

Sodium Oxides

Carbon monoxide and carbon dioxide

11 Toxicological information

- · Information on toxicological effects
- · Acute toxicity:

Acute toxicay.
· LD/LC50 values that are relevant for classification:
1310-58-3 potassium hydroxide
Oral LD50 273 mg/kg (rat)
1310-73-2 sodium hydroxide
Oral LD50 2000 mg/kg (rat)

- · Primary irritant effect:
- · on the skin: Strong caustic effect on skin and mucous membranes.
- · on the eye: Strong caustic effect.
- · Sensitization: No sensitizing effects known.
- · Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations: Harmful

Corrosive

Swallowing will lead to a strong caustic effect on mouth and throat and to the danger of perforation of esophagus and stomach.

· Carcinogenic categories

· IARC (International Agency for Research on Cancer)	
111-76-2 2-butoxyethanol	3

(Contd. on page 7)

Printing date 11/05/2014 Reviewed on 06/24/2014

Trade name: Screen Prep & Degreaser

(Contd. of page 6)

· NTP (National Toxicology Program)

None of the ingredients is listed.

· OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

12 Ecological information

- · Toxicity
- · Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
- · Additional ecological information:
- · General notes:

Water hazard class 2 (Self-assessment): hazardous for water

Do not allow product to reach ground water, water course or sewage system.

Must not reach bodies of water or drainage ditch undiluted or unneutralized.

Danger to drinking water if even small quantities leak into the ground.

Rinse off of bigger amounts into drains or the aquatic environment may lead to increased pH-values. A high pH-value harms aquatic organisms. In the dilution of the use-level the pH-value is considerably reduced, so that after the use of the product the aqueous waste, emptied into drains, is only low water-dangerous.

- · Results of PBT and vPvB assessment
- · PBT: Not applicable.
- · vPvB: Not applicable.
- · Other adverse effects No further relevant information available.

13 Disposal considerations

- · Waste treatment methods
- · Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packagings:
- · Recommendation: Disposal must be made according to official regulations.
- · Recommended cleansing agent: Water, if necessary with cleansing agents.

11	ATT.				, • ·
14	Trans	port	ınta	rma	uon

· UN-Number · DOT, IMDG, IATA	UN1719
· UN proper shipping name · DOT	Caustic alkali liquids, n.o.s. (Potassium hydroxide, Sodium
· IMDG, IATA	hydroxide) CAUSTIC ALKALI LIQUID, N.O.S. (POTASSIUM HYDROXIDE, SODIUM HYDROXIDE)

(Contd. on page 8)

Printing date 11/05/2014 Reviewed on 06/24/2014

Trade name: Screen Prep & Degreaser

	(Contd. of page
Transport hazard class(es)	
· DOT	
W. The	
CORROSIVE	
8	
· Class	8 Corrosive substances
· Label	8
· IMDG, IATA	
î îndo, îxix	
15 W	
8	
· Class	8 Corrosive substances
· Label	8
Darking and	
· Packing group · DOT, IMDG, IATA	II
	11
Environmental hazards:	
· Marine pollutant:	No
· Special precautions for user	
· Danger code (Kemler):	80
· EMS Number:	F- A , S - B
· Segregation groups	Alkalis
Transport in bulk according to Annex	II of
MARPOL73/78 and the IBC Code	Not applicable.
· Transport/Additional information:	
· DOT	
· DOI · Quantity limitations	On passenger aircraft/rail: 1 L
- Уийниу итишионѕ	On passenger aircraftrair. 1 L On cargo aircraft only: 30 L
· IMDG	17
Limited quantities (LQ)	1L Coder F2
Excepted quantities (EQ)	Code: E2
	Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 ml
· UN "Model Regulation":	UN1719, Caustic alkali liquids, n.o.s. (Potassium hydroxide, Sodiu
	hydroxide), 8, II

15 Regulatory information

- · Safety, health and environmental regulations/legislation specific for the substance or mixture
- · Sara
- · Section 355 (extremely hazardous substances):

None of the ingredients is listed.

(Contd. on page 9)

Printing date 11/05/2014 Reviewed on 06/24/2014

Trade name: Screen Prep & Degreaser

(Contd. of page 8)

· Section 313 (Specific toxic chemical listings):

111-76-2 2-butoxyethanol

· TSCA (Toxic Substances Control Act):

All ingredients are listed.

- Proposition 65
- · Chemicals known to cause cancer:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for females:

None of the ingredients is listed.

· Chemicalsknown to cause reproductive toxicity for males.

None of the ingredients is listed.

· Chemicals known to cause developmental toxicity:

None of the ingredients is listed.

· Carcinogenic categories

· EPA (Environmental Protection Agency)

111-76-2 2-butoxyethanol

NL

· TLV (Threshold Limit Value established by ACGIH)

111-76-2 2-butoxyethanol

A3

· NIOSH-Ca (National Institute for Occupational Safety and Health)

None of the ingredients is listed.

- GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS).
- · Hazard pictograms



GHS05

- · Signal word Danger
- · Hazard-determining components of labeling:

potassium hydroxide sodium hydroxide

· Hazard statements

Causes severe skin burns and eye damage.

· Precautionary statements

If medical advice is needed, have product container or label at hand.

Keep out of reach of children.

Read label before use.

Do not breathe dust/fume/gas/mist/vapours/spray.

IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

Specific treatment (see on this label).

Store locked up.

Dispose of contents/container in accordance with local/regional/national/international regulations.

· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

USA

Printing date 11/05/2014 Reviewed on 06/24/2014

Trade name: Screen Prep & Degreaser

(Contd. of page 9)

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- · Department issuing MSDS: Environment protection department.
- · Date of preparation / last revision

11/05/2014 / -

6/24/2014

· Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation IATA: International Air Transport Association

ACGIH: American Conference of Governmental Industrial Hygienists

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA)

VOC: Volatile Organic Compounds (USA, EU)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

Skin Corr. 1A: Skin corrosion/irritation, Hazard Category 1A

USA