Printing date 01/07/2014

Reviewed on 01/07/2014

| 1 Identification   |   |
|--|---|
| · Product identifier   |   |
| · Trade name: <u>Right Sheen 20</u>  | Jamson Labs Power Kleen   |
| • Article number: 1020 PK  | ТМ  |
| • Details of the supplier of the safety data sheet<br>• Manufacturer/Supplier:<br>Power Kleen Corporation<br>101 South Bayview Blvd.<br>OLDSMAR, FL 34677<br>USA | Chemical Solutions Since 1973   |
| • Information department: Product Safety Department<br>• Emergency telephone number: ChemTel Inc. (800)  |   |
|  |   |
| 2 Hazard(s) identification   |   |
| · Classification of the substance or mixture   |   |
| GHS07  |   |
| Skin Irrit. 2 H315 Causes skin irritation.   |   |
| Eye Irrit. 2A H319 Causes serious eye irritation.  |   |
| STOT SE 3 H335 May cause respiratory irritation  | 1.  |
| <ul> <li>Label elements</li> <li>GHS label elements The product is classified and la</li> <li>Hazard pictograms</li> </ul>                                       | beled according to the Globally Harmonized System (GHS).                                |
|  |   |
| GHS07  |   |
| Continue rinsing.<br>Specific treatment (see on this label).<br>Store locked up.   | ction/face protection.<br>al minutes. Remove contact lenses, if present and easy to do. |
| Dispose of contents/container in accordance with lo  | cal/regional/national/international regulations.<br>(Contd. on page 2)                  |
|  |   |

Printing date 01/07/2014

Reviewed on 01/07/2014

(Contd. of page 1)

#### Trade name: Right Sheen 20

| · Classification system:     |  |
|------------------------------|--|
| · NFPA ratings (scale 0 - 4) |  |

Health = 1 Fire = 0 Reactivity = 0

· HMIS-ratings (scale 0 - 4)

HEALTH1Health = 1FIRE0Fire = 0REACTIVITY0Reactivity = 0

- · Other hazards
- · Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · vPvB: Not applicable.

#### 3 Composition/information on ingredients

- · Chemical characterization: Mixtures
- Description: Mixture of the substances listed below with nonhazardous additions.

| · Dangerous components: |                            |               |
|-------------------------|----------------------------|---------------|
|                         | Styrene Copolymer Emulsion | 10-25%        |
| 111-90-0                | 2-(2-ethoxyethoxy)ethanol  | <i>≤</i> 2.5% |

#### **4 First-aid measures**

- · Description of first aid measures
- After inhalation: In case of unconsciousness place patient stably in side position for transportation.
- · After skin contact: Immediately wash with water and soap and rinse thoroughly.
- · After eye contact:
- Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.
- After swallowing: Do not induce vomiting; immediately call for medical help.
- Information for doctor:
- · Most important symptoms and effects, both acute and delayed No further relevant information available.
- · Indication of any immediate medical attention and special treatment needed

No further relevant information available.

## **5** Fire-fighting measures

- · Extinguishing media
- · Suitable extinguishing agents:
- CO2, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
- Special hazards arising from the substance or mixture No further relevant information available.
- · Advice for firefighters
- · Protective equipment: No special measures required.

(Contd. on page 3)

Printing date 01/07/2014

Reviewed on 01/07/2014

(Contd. of page 2)

Trade name: Right Sheen 20

#### **6** Accidental release measures

- · Personal precautions, protective equipment and emergency procedures Not required.
- Environmental precautions: Dilute with plenty of water.
  Methods and material for containment and cleaning up: Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Ensure adequate ventilation.
- **Reference to other sections** See Section 7 for information on safe handling. See Section 8 for information on personal protection equipment. See Section 13 for disposal information.

## 7 Handling and storage

#### · Handling:

- **Precautions for safe handling** Ensure good ventilation/exhaustion at the workplace. Prevent formation of aerosols.
- Information about protection against explosions and fires: No special measures required.
- · Conditions for safe storage, including any incompatibilities

· Storage:

- · Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Store away from foodstuffs.
- Further information about storage conditions: Keep receptacle tightly sealed.
- · Specific end use(s) No further relevant information available.

## 8 Exposure controls/personal protection

- · Additional information about design of technical systems: No further data; see item 7.
- · Control parameters

· Components with limit values that require monitoring at the workplace:

111-90-0 2-(2-ethoxyethoxy)ethanol

WEEL Long-term value: 25 ppm

• Additional information: The lists that were valid during the creation were used as basis.

#### · Exposure controls

- · Personal protective equipment:
- · General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing.

Wash hands before breaks and at the end of work.

Avoid contact with the eyes and skin.

• Breathing equipment:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air.

• Protection of hands:



Protective gloves

Printing date 01/07/2014

Reviewed on 01/07/2014

#### Trade name: Right Sheen 20

(Contd. of page 3)

- The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.
- Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation  $\cdot$  *Material of gloves*

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

- · Penetration time of glove material
- The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.
- *Eye protection:* Safety glasses



Tightly sealed goggles

# 9 Physical and chemical properties

| Appearance:                         |   |  |
|-------------------------------------|---|--|
| Form:                               | Liquid  |  |
| Color:                              | White   |  |
| Odor:                               | Ammonia-like                                  |  |
| Odour threshold:                    | Not determined.                               |  |
| <i>pH-value at 20 °C (68 °F):</i>   | 8.6   |  |
| Change in condition                 |   |  |
| Melting point/Melting range:        | Undetermined.                                 |  |
| <b>Boiling point/Boiling range:</b> | $> 100 \ ^{\circ}C \ (> 212 \ ^{\circ}F)$     |  |
| Flash point:                        | Not applicable.                               |  |
| Flammability (solid, gaseous):      | Not applicable.                               |  |
| Ignition temperature:               |   |  |
| Decomposition temperature:          | Not determined.                               |  |
| Auto igniting:                      | Product is not selfigniting.                  |  |
| Danger of explosion:                | Product does not present an explosion hazard. |  |
| Explosion limits:                   |   |  |
| Lower:                              | Not determined.                               |  |
| Upper:                              | Not determined.                               |  |
| Vapor pressure at 20 °C (68 °F):    | 23 hPa (17 mm Hg)                             |  |
| Density at 20 °C (68 °F):           | 1.03 g/cm <sup>3</sup> (8.595 lbs/gal)        |  |
| Relative density                    | Not determined.                               |  |
| Vapour density                      | Not determined.                               |  |
| Evaporation rate                    | Not determined.                               |  |

Printing date 01/07/2014

Reviewed on 01/07/2014

Trade name: Right Sheen 20

|  |  | (Contd. of page |
|--|--|-----------------|
| · Solubility in / Miscibility with<br>Water: | Fully miscible.                            |                 |
| · Partition coefficient (n-octan             | ol/water): Not determined.                 |                 |
| · Viscosity:                                 |  |                 |
| Dynamic:                                     | Not determined.                            |                 |
| Kinematic:                                   | Not determined.                            |                 |
| Solvent content:                             |  |                 |
| Organic solvents:                            | 0.0~%                                      |                 |
| Water:                                       | 78.4 %                                     |                 |
| VOC content:                                 | 16.5 g/l / 0.14 lb/gl                      |                 |
| Solids content:                              | 22.8 %                                     |                 |
| • Other information                          | No further relevant information available. |                 |

#### **10 Stability and reactivity**

· Reactivity

· Chemical stability

- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions Reacts with strong oxidizing agents.
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: Carbon monoxide and carbon dioxide

#### **11** Toxicological information

· Information on toxicological effects

- · Acute toxicity:
- · Primary irritant effect:
- on the skin: Irritant to skin and mucous membranes.
- on the eye: Irritating effect.
- Sensitization: No sensitizing effects known.
- · Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations: Irritant

· Carcinogenic categories

· IARC (International Agency for Research on Cancer)

· NTP (National Toxicology Program)

None of the ingredients is listed.

## **12 Ecological information**

· Toxicity

1

- · Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.

(Contd. on page 6)

USA

Printing date 01/07/2014

Reviewed on 01/07/2014

(Contd. of page 5)

#### Trade name: Right Sheen 20

· Behavior in environmental systems:

- · Bioaccumulative potential No further relevant information available.
- Mobility in soil No further relevant information available.
- $\cdot$  Additional ecological information:
- · General notes: Generally not hazardous for water
- · Results of PBT and vPvB assessment
- · PBT: Not applicable.
- **vPvB:** Not applicable.
- · Other adverse effects No further relevant information available.

#### **13 Disposal considerations**

#### · Waste treatment methods

· Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packagings:
- · Recommendation: Disposal must be made according to official regulations.
- · Recommended cleansing agent: Water, if necessary with cleansing agents.

#### 14 Transport information

| 4 Transport information  |                                   |
|--|-----------------------------------|
| · UN-Number  | Not regulated                     |
| · UN proper shipping name  | Not regulated                     |
| · Transport hazard class(es)   | Not regulated                     |
| · Packing group  | Not regulated                     |
| · Environmental hazards:<br>· Marine pollutant:                        | No                                |
| · Special precautions for user   | Not applicable.                   |
| • Transport in bulk according to Annex<br>MARPOL73/78 and the IBC Code | : <b>II of</b><br>Not applicable. |

#### **15 Regulatory information**

- $\cdot$  Safety, health and environmental regulations/legislation specific for the substance or mixture  $\cdot$  Sara
- Section 355 (extremely hazardous substances):
- None of the ingredients is listed.
- · Section 313 (Specific toxic chemical listings):
- None of the ingredients is listed.
- · TSCA (Toxic Substances Control Act):
- 111-90-0 2-(2-ethoxyethoxy)ethanol
- 7732-18-5 water, distilled, conductivity or of similar purity

(Contd. on page 7)

USA

Printing date 01/07/2014

· Proposition 65

Reviewed on 01/07/2014

Trade name: Right Sheen 20

(Contd. of page 6)

• Chemicals known to cause cancer: None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for females:

None of the ingredients is listed.

· Chemicalsknown to cause reproductive toxicity for males.

None of the ingredients is listed.

· Chemicals known to cause developmental toxicity:

None of the ingredients is listed.

· Carcinogenic categories

· EPA (Environmental Protection Agency)

None of the ingredients is listed.

· TLV (Threshold Limit Value established by ACGIH)

None of the ingredients is listed.

· NIOSH-Ca (National Institute for Occupational Safety and Health)

None of the ingredients is listed.

· OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

• *GHS label elements* The product is classified and labeled according to the Globally Harmonized System (GHS). • *Hazard pictograms* 



· Signal word Warning

• Hazard statements

Causes skin irritation.

Causes serious eye irritation.

May cause respiratory irritation.

· Precautionary statements

If medical advice is needed, have product container or label at hand.

Keep out of reach of children.

Read label before use. Avoid breathing dust/fume/gas/mist/vapours/sprav.

Wear protective gloves/protective clothing/eye protection/face protection.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

Specific treatment (see on this label).

Store locked up.

Dispose of contents/container in accordance with local/regional/national/international regulations.

• Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

#### **16 Other information**

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

(Contd. on page 8)

USA

Printing date 01/07/2014

Reviewed on 01/07/2014

## Trade name: Right Sheen 20

|   | (Contd. of page 7) |
|---|--------------------|
| · Department issuing MSDS: Environment protection department.               |                    |
| Abbreviations and acronyms:   |                    |
| ACGIH: American Conference of Governmental Industrial Hygienists            |                    |
| EINECS: European Inventory of Existing Commercial Chemical Substances       |                    |
| ELINCS: European List of Notified Chemical Substances                       |                    |
| CAS: Chemical Abstracts Service (division of the American Chemical Society) |                    |
| NFPA: National Fire Protection Association (USA)                            |                    |
| HMIS: Hazardous Materials Identification System (USA)                       |                    |
| VOC: Volatile Organic Compounds (USA, EU)                                   |                    |
|   | USA                |