Printing date 11/04/2014

Reviewed on 01/13/2014

1 Identification	
 Product identifier Trade name: <u>Mint Air Freshener</u> Article number: 1301 JL Details of the supplier of the safety data sheet Manufacturer/Supplier: Power Kleen Corporation 101 South Bayview Blvd. OLDSMAR, FL 34677 USA Information department: Product Safety Department Emergence telephone number ChamTel Ing. (800) 255 2024. Ind. 101 (813) 248 0585 	
• Emergency telephone number: ChemTel Inc. (800) 255-3924 Intl. +01 (813) 248-0585 2 Hazard(s) identification	
 Classification of the substance or mixture GHS07 Skin Sens. 1 H317 May cause an allergic skin reaction. Label elements GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS). Hazard pictograms 	_
GHS07 • Signal word Warning	
 Hazard-determining components of labeling: 2,2',2"-(hexahydro-1,3,5-triazine-1,3,5-triyl)triethanol Fragrance (Generic) Hazard statements May cause an allergic skin reaction. Precautionary statements If medical advice is needed, have product container or label at hand. Keep out of reach of children. Read label before use. Avoid breathing dust/fume/gas/mist/vapours/spray. Wear protective gloves/protective clothing/eye protection/face protection. Specific treatment (see on this label). Wash contaminated clothing before reuse. If skin irritation or rash occurs: Get medical advice/attention. Dispose of contents/container in accordance with local/regional/national/international regulations. (Contd. on page 2) 	2) JSA —

Printing date 11/04/2014

Reviewed on 01/13/2014

Trade name: Mint Air Freshener

(Contd. of page 1)

• Classification system: • NFPA ratings (scale 0 - 4)

· HMIS-ratings (scale 0 - 4)

HEALTH2Health = 2FIRE0Fire = 0REACTIVITY0Reactivity = 0

· Other hazards

· Results of PBT and vPvB assessment

· **PBT:** Not applicable.

· vPvB: Not applicable.

3 Composition/information on ingredients

· Chemical characterization: Mixtures

• Description: Mixture of the substances listed below with nonhazardous additions.

· Dangerous components:		
67-63-0	propan-2-ol	2.5-10%
	Fragrance (Generic)	≤ 2.5%
4719-04-4	2,2',2''-(hexahydro-1,3,5-triazine-1,3,5-triyl)triethanol	≤ 2.5%

4 First-aid measures

· Description of first aid measures

· General information:

Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.

• *After inhalation:*

Supply fresh air and to be sure call for a doctor.

- In case of unconsciousness place patient stably in side position for transportation.
- · After skin contact: Immediately wash with water and soap and rinse thoroughly.
- · After eye contact:

Remove contact lenses if able to do so.

Rinse opened eye for several minutes under running water.

• After swallowing:

A person vomiting while lying on their back should be turned onto their side.

Do not induce vomiting; immediately call for medical help.

If symptoms persist consult doctor.

- \cdot Most important symptoms and effects, both acute and delayed
- Nausea Asthma attacks Allergic reactions Coughing Dizziness

Headache

(Contd. on page 3)

USA

Printing date 11/04/2014

Reviewed on 01/13/2014

Trade name: Mint Air Freshener

• *Indication of any immediate medical attention and special treatment needed Treat skin and mucous membrane with antihistamine and corticoid preparations.*

Severe allergic skin reaction, bronchial spasms and anaphylactic shock are possible.

5 Fire-fighting measures

- · Extinguishing media
- · Suitable extinguishing agents:
- CO2, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
- Special hazards arising from the substance or mixture No further relevant information available.
- Advice for firefighters
- · Protective equipment: Mouth respiratory protective device.

6 Accidental release measures

- · Personal precautions, protective equipment and emergency procedures Not required.
- Environmental precautions: Dilute with plenty of water.
- Methods and material for containment and cleaning up: Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Dispose contaminated material as waste according to item 13. Ensure adequate ventilation.
- **Reference to other sections** See Section 7 for information on safe handling. See Section 8 for information on personal protection equipment. See Section 13 for disposal information.

7 Handling and storage

• **Precautions for safe handling** Ensure good ventilation/exhaustion at the workplace. Prevent formation of aerosols.

• Information about protection against explosions and fires: No special measures required.

- · Conditions for safe storage, including any incompatibilities
- · Storage:
- · Requirements to be met by storerooms and receptacles: No special requirements.
- Information about storage in one common storage facility: Store away from oxidizing agents.
- Store away from foodstuffs.
- · Further information about storage conditions: Keep receptacle tightly sealed.
- · Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

• Additional information about design of technical systems: No further data; see item 7.

(Contd. on page 4)

JSA –

(Contd. of page 2)

Printing date 11/04/2014

Reviewed on 01/13/2014

Trade name: Mint Air Freshener

(Contd. of page 3)

Control parameters Control parameters Components with limit values that require monitoring at the workplace: 67-63-0 propan-2-ol PEL Long-term value: 980 mg/m³, 400 ppm REL Short-term value: 1225 mg/m³, 500 ppm Long-term value: 980 mg/m³, 400 ppm TLV Short-term value: 984 mg/m³, 400 ppm Long-term value: 492 mg/m³, 200 ppm BEI	
67-63-0 propan-2-ol PEL Long-term value: 980 mg/m ³ , 400 ppm REL Short-term value: 1225 mg/m ³ , 500 ppm Long-term value: 980 mg/m ³ , 400 ppm TLV Short-term value: 984 mg/m ³ , 400 ppm Long-term value: 492 mg/m ³ , 200 ppm	
PELLong-term value: 980 mg/m³, 400 ppmRELShort-term value: 1225 mg/m³, 500 ppmLong-term value: 980 mg/m³, 400 ppmTLVShort-term value: 984 mg/m³, 400 ppmLong-term value: 984 mg/m³, 200 ppmLong-term value: 492 mg/m³, 200 ppm	
RELShort-term value: 1225 mg/m³, 500 ppm Long-term value: 980 mg/m³, 400 ppmTLVShort-term value: 984 mg/m³, 400 ppm Long-term value: 492 mg/m³, 200 ppm	
Long-term value: 980 mg/m ³ , 400 ppm TLV Short-term value: 984 mg/m ³ , 400 ppm Long-term value: 492 mg/m ³ , 200 ppm	
TLV Short-term value: 984 mg/m ³ , 400 ppm Long-term value: 492 mg/m ³ , 200 ppm	
Long-term value: 492 mg/m ³ , 200 ppm	
BEI	
Ingredients with biological limit values:	
67-63-0 propan-2-ol	
BEI 40 mg/L	
Medium: urine	
<i>Time: end of shift at end of workweek</i> <i>Parameter: Acetone (background, nonspecific)</i>	
Additional information: The lists that were valid during the creation were used as basis.	
•	
Exposure controls	
Personal protective equipment:	
General protective and hygienic measures: Keep away from foodstuffs, beverages and feed.	
Immediately remove all soiled and contaminated clothing.	
Wash hands before breaks and at the end of work.	
Breathing equipment:	
In case of brief exposure or low pollution use respiratory filter device. In case of intensive or	longer exposure us
respiratory protective device that is independent of circulating air.	
Protection of hands:	
Protective gloves	
The glove material has to be impermeable and resistant to the product/ the substance/ the prep	
Selection of the glove material on consideration of the penetration times, rates of diffusion and <i>Material of gloves</i>	a the degradation
Plastic gloves	
Rubber gloves	
The selection of the suitable gloves does not only depend on the material, but also on further	marks of quality an
varies from manufacturer to manufacturer. As the product is a preparation of several substant	
the glove material can not be calculated in advance and has therefore to be checked prior to the	
Penetration time of glove material	
The exact break through time has to be found out by the manufacturer of the protective g	loves and has to b
observed.	
Eye protection: Goggles recommended during refilling.	
Physical and chemical properties	

- · General Information
- Appearance: Form:

Liquid

Printing date 11/04/2014

Reviewed on 01/13/2014

Trade name: Mint Air Freshener

		(Contd. of page 4
Color:	Green	
· Odor:	MINT	
· Odour threshold:	Not determined.	
· pH-value at 20 °C (68 °F):	7	
 Change in condition Melting point/Melting range: Boiling point/Boiling range: 	Undetermined. 100 °C (212 °F)	
· Flash point:	Not applicable.	
· Flammability (solid, gaseous):	Not applicable.	
· Ignition temperature:	425 °C (797 °F)	
• Decomposition temperature:	Not determined.	
· Auto igniting:	Product is not selfigniting.	
• Danger of explosion:	Product does not present an explosion hazard.	
· Explosion limits: Lower: Upper:	Not determined. Not determined.	
· Vapor pressure:	Not determined.	
· Density at 20 °C (68 °F):	1 g/cm ³ (8.345 lbs/gal)	
· Relative density	Not determined.	
· Vapour density	Not determined.	
· Evaporation rate	Not determined.	
· Solubility in / Miscibility with Water:	Fully miscible.	
· Partition coefficient (n-octanol/wa	•	
· Viscosity:	· ·	
Dynamic:	Not determined.	
Kinematic:	Not determined.	
· Solvent content:		
Organic solvents:	9.4 %	
Water:	88.9 %	
VOC content:	11.1 %	
	93.5 g/l / 0.78 lb/gl	
• Other information	No further relevant information available.	

10 Stability and reactivity

· Reactivity

· Chemical stability

• Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.

- · Possibility of hazardous reactions No dangerous reactions known.
- Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.

(Contd. on page 6)

⁻USA -

Printing date 11/04/2014

Reviewed on 01/13/2014

Trade name: Mint Air Freshener

(Contd. of page 5)

3

· Hazardous decomposition products: No dangerous decomposition products known.

11 Toxicological information

· Information on toxicological effects

- Acute toxicity:
- Primary irritant effect:
- on the skin: No irritant effect.
- on the eye: No irritating effect.
- · Sensitization:

Sensitizing effect through inhalation is possible with prolonged exposure.

- Sensitization possible through skin contact.
- Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations: Harmful

Irritant

· Carcinogenic categories

· IARC (International Agency for Research on Cancer)

67-63-0 propan-2-ol

· NTP (National Toxicology Program)

None of the ingredients is listed.

· OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

12 Ecological information

· Toxicity

- · Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
- · Additional ecological information:
- · General notes: Generally not hazardous for water
- · Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- vPvB: Not applicable.
- · Other adverse effects No further relevant information available.

13 Disposal considerations

- · Waste treatment methods
- · Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packagings:
- Recommendation: Disposal must be made according to official regulations.

(Contd. on page 7)

USA -

Printing date 11/04/2014

Reviewed on 01/13/2014

(Contd. of page 6)

Trade name: Mint Air Freshener

· Recommended cleansing agent: Water, if necessary with cleansing agents.

14 Transport information		
· UN-Number · DOT	Not regulated	
· UN proper shipping name · DOT	Not applicable	
· Transport hazard class(es)		
·DOT	Not regulated	
· Packing group · DOT	Not regulated	
• Environmental hazards: • Marine pollutant:	No	
• Transport in bulk according to Annex MARPOL73/78 and the IBC Code	II of Not applicable.	
· UN "Model Regulation":	Not regulated	

15 Regulatory information

 \cdot Safety, health and environmental regulations/legislation specific for the substance or mixture \cdot Sara

· Section 355 (extremely hazardous substances):

None of the ingredients is listed.

· Section 313 (Specific toxic chemical listings):

67-63-0 propan-2-ol

• TSCA (Toxic Substances Control Act):

67-63-0 propan-2-ol

4719-04-4 2,2',2''-(hexahydro-1,3,5-triazine-1,3,5-triyl)triethanol

66455-15-0 C10-12 6 Mole Linear Alcohol Ethoxylate

7732-18-5 water, distilled, conductivity or of similar purity

· Proposition 65

· Chemicals known to cause cancer:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for females:

None of the ingredients is listed.

· Chemicalsknown to cause reproductive toxicity for males.

None of the ingredients is listed.

· Chemicals known to cause developmental toxicity:

None of the ingredients is listed.

(Contd. on page 8)

USA

Printing date 11/04/2014

Reviewed on 01/13/2014

Trade name: Mint Air Freshener

(Contd. of page 7)

A4

· Carcinogenic categories

· EPA (Environmental Protection Agency)

None of the ingredients is listed.

· TLV (Threshold Limit Value established by ACGIH)

67-63-0 propan-2-ol

· NIOSH-Ca (National Institute for Occupational Safety and Health)

None of the ingredients is listed.

• GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS). · Hazard pictograms



· Signal word Warning

· Hazard-determining components of labeling: 2,2',2"-(hexahydro-1,3,5-triazine-1,3,5-triyl)triethanol Fragrance (Generic)

· Hazard statements

May cause an allergic skin reaction.

· Precautionary statements

If medical advice is needed, have product container or label at hand.

Keep out of reach of children.

Read label before use.

Avoid breathing dust/fume/gas/mist/vapours/spray.

Wear protective gloves/protective clothing/eye protection/face protection.

Specific treatment (see on this label).

Wash contaminated clothing before reuse.

If skin irritation or rash occurs: Get medical advice/attention.

Dispose of contents/container in accordance with local/regional/national/international regulations.

· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Department issuing MSDS: Environment protection department.

· Date of preparation / last revision 11/04/2014 / -

· Abbreviations and acronyms: DOT: US Department of Transportation ACGIH: American Conference of Governmental Industrial Hygienists EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA) VOC: Volatile Organic Compounds (USA, EU) Skin Sens. 1: Sensitisation - Skin, Hazard Category 1

USA