Printing date 10/29/2014

Reviewed on 01/24/2014

Identification	
Product identifier	
Trade name: DETAR	Jamson Labs PowerKleen
Article number: 1610 PK	ТМ
Details of the supplier of the safety data sheet Manufacturer/Supplier: Power Kleen Corporation 101 South Bayview Blvd.	Chemical Solutions Since 1973
OLDSMAR, FL 34677 USA	
Information department: Product Safety Department Emergency telephone number: ChemTel Inc. (800) 2	
Hazard(s) identification	
Classification of the substance or mixture	
GHS08 Health hazard	
Resp. Sens. 1 H334 May cause allergy or asthma syn	mptoms or breathing difficulties if inhaled
Asp. Tox. 1 H304 May be fatal if swallowed and e	
· · · · · · · · · · · · · · · · · · ·	
GHS07	
Skin Irrit. 2 H315 Causes skin irritation.	
Eye Irrit. 2A H319 Causes serious eye irritation.	
Skin Sens. 1 H317 May cause an allergic skin reac	tion.
H227 Combustible liquid.	
Label elements GHS label elements The product is classified and lab Hazard pictograms	peled according to the Globally Harmonized System (GHS).
GHS08	
Signal word Danger	
Hazard-determining components of labeling:	
d-Limonene (Citrus Terpenes)	
Stoddard solvent	
Solvent nanhtha (netroleum) medium alinh	
Solvent naphtha (petroleum), medium aliph. Hazard statements	
Solvent naphtha (petroleum), medium aliph. Hazard statements Combustible liquid.	
Hazard statements Combustible liquid. Causes skin irritation.	
Hazard statements Combustible liquid.	

Printing date 10/29/2014

Reviewed on 01/24/2014

Trade name: DETAR

(Contd. of page 1)

May cause an allergic skin reaction. May be fatal if swallowed and enters airways. · Precautionary statements If medical advice is needed, have product container or label at hand. Keep out of reach of children. Read label before use. Keep away from heat/sparks/open flames/hot surfaces. - No smoking. In case of inadequate ventilation wear respiratory protection. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Specific treatment (see on this label). Store locked up. Dispose of contents/container in accordance with local/regional/national/international regulations. · Classification system: · NFPA ratings (scale 0 - 4) Health = 2Fire = 2Reactivity = 0· HMIS-ratings (scale 0 - 4) HEALTH *2 *Health* = *2 FIRE 2 Fire = 2REACTIVITY 0 Reactivity = 0· Other hazards · Results of PBT and vPvB assessment · **PBT:** Not applicable. · vPvB: Not applicable. **3** Composition/information on ingredients · Chemical characterization: Mixtures

• **Description:** Mixture of the substances listed below with nonhazardous additions.

· Dangerous components:		
8052-41-3	Stoddard solvent	25-50%
94266-47-4	d-Limonene (Citrus Terpenes)	25-50%
64742-88-7	Solvent naphtha (petroleum), medium aliph.	10-25%
66455-15-0	C10-12 6 Mole Linear Alcohol Ethoxylate	2.5-10%
	1,2,4-trimethylbenzene	<i>≤</i> 2.5%
108-67-8	mesitylene	≤ 2.5%

4 First-aid measures

· Description of first aid measures

• General information:

Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.

• After inhalation:

Supply fresh air and to be sure call for a doctor.

(Contd. on page 3)

USA -

Printing date 10/29/2014

Reviewed on 01/24/2014

Trade name: DETAR

	(Contd. of page 2)
In case of unconsciousness place patient stably in side position for transportation. • After skin contact: Immediately wash with water and soap and rinse thoroughly.	
· After eye contact:	
Remove contact lenses if able to do so.	
Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.	
· After swallowing:	
Do not induce vomiting; immediately call for medical help.	
Call a doctor immediately.	
A person vomiting while lying on their back should be turned onto their side.	
· Most important symptoms and effects, both acute and delayed	
Nausea	
Coughing	
Breathing difficulty	
Dizziness	
· Danger	
Danger of pulmonary edema.	
Danger of disturbed cardiac rhythm.	
Indication of any immediate medical attention and special treatment needed	
If swallowed or in case of vomiting, danger of entering the lungs.	
5 Fire-fighting measures	
5 The-Jighting measures	
· Extinguishing media	
· Suitable extinguishing agents:	
CO2, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistan	ıt foam.
• Special hazards arising from the substance or mixture	
In case of fire, the following can be released:	
Carbon monoxide (CO)	
· Advice for firefighters	
· Protective equipment: Mouth respiratory protective device.	
6 Accidental release measures	
• Personal precautions, protective equipment and emergency procedures Not required.	
• Environmental precautions:	
Do not allow product to reach sewage system or any water course.	
Inform respective authorities in case of seepage into water course or sewage system.	
• Methods and material for containment and cleaning up:	
Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).	
Dispose contaminated material as waste according to item 13.	
Ensure adequate ventilation.	
· Reference to other sections	
v v	

See Section 7 for information on safe handling. See Section 8 for information on personal protection equipment. See Section 13 for disposal information.

7 Handling and storage

• *Precautions for safe handling Ensure good ventilation/exhaustion at the workplace. Prevent formation of aerosols.*

(Contd. on page 4)

USA

Printing date 10/29/2014

Reviewed on 01/24/2014

Trade name: DETAR

- · Information about protection against explosions and fires: Protect from heat.
- · Conditions for safe storage, including any incompatibilities
- · Storage:
- Requirements to be met by storerooms and receptacles: No special requirements.
- Information about storage in one common storage facility: Store away from oxidizing agents. Store away from foodstuffs.
- Further information about storage conditions: Keep receptacle tightly sealed.
- Protect from heat and direct sunlight.
- Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

- Additional information about design of technical systems: No further data; see item 7.
- · Control parameters

· Components with limit values that require monitoring at the workplace:

8052-41-3 Stoddard solvent

- PEL Long-term value: 2900 mg/m³, 500 ppm
- REL Long-term value: 350 ppm Ceiling limit value: 1800* mg/m³ *15-min
- TLV Long-term value: 525 mg/m³, 100 ppm
- Additional information: The lists that were valid during the creation were used as basis.
- · Exposure controls
- · Personal protective equipment:
- \cdot General protective and hygienic measures:
- Keep away from foodstuffs, beverages and feed. Immediately remove all soiled and contaminated clothing. Wash hands before breaks and at the end of work. Avoid contact with the eyes and skin.
- · Breathing equipment:
- In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air.
- Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation **Material of gloves** PVC gloves Plastic gloves Nitrile rubber, NBR Fluorocarbon rubber (Viton) The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

(Contd. on page 5)

(Contd. of page 3)

(Contd. of page 4)

Safety Data Sheet acc. to OSHA HCS

Printing date 10/29/2014

Reviewed on 01/24/2014

Trade name: DETAR

 \cdot Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

- \cdot Not suitable are gloves made of the following materials: Leather gloves
- · Eye protection:



Tightly sealed goggles

• Body protection: Solvent resistant protective clothing

Information on basic physical and	chemical properties	
General Information		
Appearance:		
Form:	Liquid	
Color:	Amber colored	
Odor:	Characteristic	
Odour threshold:	Not determined.	
pH-value:	Not determined.	
Change in condition		
Melting point/Melting range:	Undetermined.	
Boiling point/Boiling range:	175 °C (347 °F)	
Flash point:	61 °C (142 °F)	
Flammability (solid, gaseous):	Not applicable.	
Ignition temperature:	230 °C (446 °F)	
Decomposition temperature:	Not determined.	
Auto igniting:	Product is not selfigniting.	
Danger of explosion:	Not determined.	
Explosion limits:		
Lower:	0.6 Vol %	
Upper:	6.5 Vol %	
Vapor pressure at 20 °C (68 °F):	6.6 hPa (5 mm Hg)	
Density at 20 °C (68 °F):	0.818 g/cm³ (6.826 lbs/gal)	
Relative density	Not determined.	
Vapour density	Not determined.	
Evaporation rate	Not determined.	
Solubility in / Miscibility with		
Water:	Not miscible or difficult to mix.	
Partition coefficient (n-octanol/wat	er): Not determined.	
Viscosity:		
Dynamic:	Not determined.	
Kinematic:	Not determined.	

JSA -

(Contd. of page 5)

Safety Data Sheet acc. to OSHA HCS

Printing date 10/29/2014

Reviewed on 01/24/2014

Trade name: DETAR

• Solvent content: Organic solvents: VOC content:

19.3 % 19.3 % (6.1lbs/gal) 157.9 g/l / 1.32 lb/gl No further relevant information available.

· Other information

10 Stability and reactivity

· Reactivity

· Chemical stability

- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions

Flammable.

Reacts with oxygen.

Reacts with oxidizing agents.

- Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: Carbon monoxide and carbon dioxide

11 Toxicological information

· Information on toxicological effects

· Acute toxicity:

· LD/LC50 values that are relevant for classification:

64742-88-7 Solvent naphtha (petroleum), medium aliph.

 Oral
 LD50
 >6500 mg/kg (rat)

 Dermal
 LD50
 >3000 mg/kg (rab)

Inhalative LC50/4 h > 14 mg/l (rat)

· Primary irritant effect:

• on the skin: Irritant to skin and mucous membranes.

- on the eye: Irritating effect.
- · Sensitization:

Sensitization possible through inhalation.

Sensitization possible through skin contact.

• Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations: Harmful

Irritant

· Carcinogenic categories

· IARC (International Agency for Research on Cancer)

1330-20-7 xylene (mix)

· NTP (National Toxicology Program)

None of the ingredients is listed.

· OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

(Contd. on page 7)

3

US/

(Contd. of page 6)

Safety Data Sheet acc. to OSHA HCS

Printing date 10/29/2014

Reviewed on 01/24/2014

Trade name: DETAR

12 Ecological information

- · Toxicity
- Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- · Bioaccumulative potential No further relevant information available.
- *Mobility in soil* No further relevant information available.
- · Ecotoxical effects:
- · Remark: Toxic for fish
- · Additional ecological information:
- General notes:
- Also poisonous for fish and plankton in water bodies. Toxic for aquatic organisms
- · Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · vPvB: Not applicable.
- · Other adverse effects No further relevant information available.

13 Disposal considerations

· Waste treatment methods

· Recommendation:

Can be burned with household garbage after consulting with the waste disposal facility operator and the pertinent authorities and adhering to the necessary technical regulations.

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packagings:
- Recommendation: Disposal must be made according to official regulations.
- · Recommended cleansing agent: Solvent naphtha

· UN-Number	
·DOT	Not regulated
· IMDG, IATA	UN3082
· UN proper shipping name	
$\cdot DOT$	Not regulated
·IMDG	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUII
	N.O.S. (d-Limonene (Citrus Terpenes), 1,2,4-trimethylbenzene
	MARINE POLLUTANT
·IATA	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUII
	N.O.S. (d-Limonene (Citrus Terpenes))
· Transport hazard class(es)	
·DOT	Not applicable

Printing date 10/29/2014

Reviewed on 01/24/2014

de name: DETAR	
	(Contd. of page 7
IMDG, IATA	
Class	9 Miscellaneous dangerous substances and articles
Label	9
Packing group	
DOT	Not applicable
IMDG, IATA	III
Environmental hazards:	Product contains environmentally hazardous substances: d- Limonene (Citrus Terpenes)
Marine pollutant:	Yes
	Symbol (fish and tree)
Special marking (IATA):	Symbol (fish and tree)
Special precautions for user	
Danger code (Kemler):	90
EMS Number:	F-A,S-F
Transport in bulk according to Annex	II of
MARPOL73/78 and the IBC Code	Not applicable.
Transport/Additional information:	
- IMDG	
Limited quantities (LQ)	5L
Excepted quantities (EQ)	Code: E1
	Maximum net quantity per inner packaging: 30 ml
	Maximum net quantity per outer packaging: 1000 ml
UN "Model Regulation":	UN3082, Environmentally hazardous substances, liquid, n.o.s. (d-
-	

15 Regulatory information

 \cdot Safety, health and environmental regulations/legislation specific for the substance or mixture \cdot Sara

· Section 355	(extremely hazardous substances):
None of the	ingredients is listed.
· Section 313	(Specific toxic chemical listings):
95-63-6	1,2,4-trimethylbenzene
1330-20-7 x	xylene (mix)
· TSCA (Toxi	c Substances Control Act):
8052-41-3	Stoddard solvent
64742-88-7	Solvent naphtha (petroleum), medium aliph.
66455-15-0	C10-12 6 Mole Linear Alcohol Ethoxylate
95-63-6	1,2,4-trimethylbenzene
108-67-8	mesitylene
<u> </u>	(Contd. on page 9)
	USA

Limonene (Citrus Terpenes)), 9, III

USA

Safety Data Sheet acc. to OSHA HCS

Printing date 10/29/2014

Reviewed on 01/24/2014

Trade name: DETAR

	(Contd. of page 8
8002-09-3 Pine Oil	
1330-20-7 xylene (mix)	
· Proposition 65	
· Chemicals known to cause cancer:	
None of the ingredients is listed.	
· Chemicals known to cause reproductive toxicity for females:	
None of the ingredients is listed.	
· Chemicalsknown to cause reproductive toxicity for males.	
None of the ingredients is listed.	
· Chemicals known to cause developmental toxicity:	
None of the ingredients is listed.	
· Carcinogenic categories	
· EPA (Environmental Protection Agency)	
1330-20-7 xylene (mix)	Ι
· TLV (Threshold Limit Value established by ACGIH)	
1330-20-7 xylene (mix)	A4
·NIOSH-Ca (National Institute for Occupational Safety and Health)	
None of the ingredients is listed.	

• *GHS label elements* The product is classified and labeled according to the Globally Harmonized System (GHS). • *Hazard pictograms*



· Signal word Danger

· Hazard-determining components of labeling: d-Limonene (Citrus Terpenes) Stoddard solvent Solvent naphtha (petroleum), medium aliph. · Hazard statements Combustible liquid. Causes skin irritation. Causes serious eye irritation. May cause allergy or asthma symptoms or breathing difficulties if inhaled. May cause an allergic skin reaction. May be fatal if swallowed and enters airways. · Precautionary statements If medical advice is needed, have product container or label at hand. Keep out of reach of children. Read label before use. Keep away from heat/sparks/open flames/hot surfaces. - No smoking. In case of inadequate ventilation wear respiratory protection. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Specific treatment (see on this label). Store locked up. (Contd. on page 10)

Printing date 10/29/2014

Reviewed on 01/24/2014

Trade name: DETAR

(Contd. of page 9)

USA

Dispose of contents/container in accordance with local/regional/national/international regulations. • Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- **Department issuing MSDS:** Environment protection department.
- **Date of preparation / last revision** 10/29/2014 / -01/17/2014
- Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation IATA: International Air Transport Association ACGIH: American Conference of Governmental Industrial Hygienists

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

- CAS: Chemical Abstracts Service (division of the American Chemical Society)
- NFPA: National Fire Protection Association (USA)
- HMIS: Hazardous Materials Identification System (USA)
- VOC: Volatile Organic Compounds (USA, EU)
- *LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent*
- : Flammable liquids, Hazard Category 4
- Skin Irrit. 2: Skin corrosion/irritation, Hazard Category 2
- Eye Irrit. 2A: Serious eye damage/eye irritation, Hazard Category 2A
- Resp. Sens. 1: Sensitisation Respirat., Hazard Category 1
- Skin Sens. 1: Sensitisation Skin, Hazard Category 1
- Asp. Tox. 1: Aspiration hazard, Hazard Category 1