Printing date 11/04/2014

Reviewed on 02/07/2014

Printing date 11/04/2014	Reviewed on 02/0//2014
1 Identification	
Day 1. of 1. or 1. Car	
· Product identifier	
• Trade name: <u>On & On</u>	Jamson Labs Power Kleen
• Article number: 5524 PK	
• Details of the supplier of the safety data sheet	Chemical Solutions Since 1973
• Details of the supplier of the safety data sheet • Manufacturer/Supplier:	
Power Kleen Corporation	
101 South Bayview Blvd.	
OLDSMAR, FL 34677	
USA	
· Information department: Product Safety Departmen	t
• Emergency telephone number: ChemTel Inc. (800)	
2 Hazard(s) identification	
· Classification of the substance or mixture	
GHS02 Flame	
Flam Lia 2 H225 Highly flammable liquid and ya	
Flam. Liq. 2 H225 Highly flammable liquid and va	
\wedge	
GHS07	
Eye Irrit. 2A H319 Causes serious eye irritation.	
Skin Sens. 1 H317 May cause an allergic skin reac	tion.
STOT SE 3 H336 May cause drowsiness or dizzine	
• Label elements CHS label elements The product is classified and label	beled according to the Globally Harmonized System (GHS).
• Hazard pictograms	beled according to the Globally Harmonized System (GHS).
GHS02 GHS07	
· Signal word Danger	
•	
Hazard-determining components of labeling:	
Fragrance (Generic) • Hazard statements	
Highly flammable liquid and vapor.	
Causes serious eye irritation.	
May cause an allergic skin reaction.	
May cause drowsiness or dizziness.	
• Precautionary statements	
If medical advice is needed, have product container of	or label at hand.
Keep out of reach of children. Read label before use	
Read label before use. Keep away from heat/sparks/open flames/hot surface	s - No smoking
	(Contd. on page 2)
	USA -

Printing date 11/04/2014

Reviewed on 02/07/2014

Trade name: On & On

(Contd. of page 1)
Use explosion-proof electrical/ventilating/lighting/equipment. IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
Store locked up. Dispose of contents/container in accordance with local/regional/national/international regulations.
• Classification system: • NFPA ratings (scale 0 - 4)
$\begin{array}{c} \textbf{Health} = 2\\ \textbf{Fire} = 3\\ \textbf{Reactivity} = 0 \end{array}$
· HMIS-ratings (scale 0 - 4)
HEALTH2Health = 2FIRE3Fire = 3REACTIVITY \mathbf{R} \mathbf{R}
 Other hazards Results of PBT and vPvB assessment PBT: Not applicable. vPvB: Not applicable.

3 Composition/information on ingredients

· Chemical characterization: Mixtures

• Description: Mixture of the substances listed below with nonhazardous additions.

· Dangerous components:		
67-63-0	propan-2-ol	25-50%
	Fragrance (Generic)	≤2.5%
66455-15-0	C10-12 6 Mole Linear Alcohol Ethoxylate	≤2.5%

4 First-aid measures

· Description of first aid measures

· General information:

Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.

• After inhalation:

Supply fresh air and to be sure call for a doctor.

In case of unconsciousness place patient stably in side position for transportation.

· After skin contact: Immediately wash with water and soap and rinse thoroughly.

· After eye contact:

Remove contact lenses if able to do so.

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

· After swallowing:

Do not induce vomiting; immediately call for medical help.

Rinse out mouth and then drink plenty of water.

A person vomiting while lying on their back should be turned onto their side.

• Most important symptoms and effects, both acute and delayed Coughing

(Contd. on page 3)

Printing date 11/04/2014

Reviewed on 02/07/2014

Trade name: On & On

(Contd. of page 2)

Nausea Disorientation Allergic reactions Dizziness

· Danger Danger of impaired breathing.

• Indication of any immediate medical attention and special treatment needed Severe allergic skin reaction, bronchial spasms and anaphylactic shock are possible. Medical supervision for at least 48 hours.

5 Fire-fighting measures

- · Extinguishing media
- · Suitable extinguishing agents:
- CO2, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
- Special hazards arising from the substance or mixture No further relevant information available.
- · Advice for firefighters
- · Protective equipment: Mouth respiratory protective device.

6 Accidental release measures

- *Personal precautions, protective equipment and emergency procedures Wear protective equipment. Keep unprotected persons away.*
- Environmental precautions: Dilute with plenty of water. Do not allow to enter sewers/ surface or ground water.
- *Methods and material for containment and cleaning up:* Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Dispose contaminated material as waste according to item 13.
- Ensure adequate ventilation. • **Reference to other sections** See Section 7 for information on safe handling. See Section 8 for information on personal protection of
- See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

7 Handling and storage

- **Precautions for safe handling** Ensure good ventilation/exhaustion at the workplace. Prevent formation of aerosols.
- Information about protection against explosions and fires: Keep ignition sources away - Do not smoke. Protect from heat. Protect against electrostatic charges.
- · Conditions for safe storage, including any incompatibilities
- · Storage:
- Requirements to be met by storerooms and receptacles: Store in a cool location.
- · Information about storage in one common storage facility:

Do not store together with acids. Store away from oxidizing agents. Store away from foodstuffs.

(Contd. on page 4)

USA

Printing date 11/04/2014

Reviewed on 02/07/2014

Trade name: On & On

 Further information about storage conditions: Keep receptacle tightly sealed.
 Store in cool, dry conditions in well sealed receptacles.
 Protect from heat and direct sunlight.

• *Specific end use(s) No further relevant information available.*

8 Exposure controls/personal protection

· Additional information about design of technical systems: No further data; see item 7.

· Control parameters

· Components with limit values that require monitoring at the workplace:

67-63-0 propan-2-ol

PEL Long-term value: 980 mg/m³, 400 ppm

REL Short-term value: 1225 mg/m³, 500 ppm Long-term value: 980 mg/m³, 400 ppm

TLV Short-term value: 984 mg/m³, 400 ppm Long-term value: 492 mg/m³, 200 ppm BEI

· Ingredients with biological limit values:

67-63-0 propan-2-ol

BEI 40 mg/L

Medium: urine Time: end of shift at end of workweek Parameter: Acetone (background, nonspecific)

• Additional information: The lists that were valid during the creation were used as basis.

- · Exposure controls
- · Personal protective equipment:

• General protective and hygienic measures: Keep away from foodstuffs, beverages and feed. Immediately remove all soiled and contaminated clothing. Wash hands before breaks and at the end of work. Avoid contact with the eyes. Avoid contact with the eyes and skin.

• Breathing equipment:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air.

· Protection of hands: Not required.

· Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

• Eye protection:

Goggles recommended during refilling. Safety glasses

(Contd. on page 5)

US/

(Contd. of page 3)

Printing date 11/04/2014

Reviewed on 02/07/2014

Trade name: On & On

(Contd. of page 4)

T C /• T • T • T •	* * * _/*
Information on basic physical and c	chemical properties
General Information	
Appearance: Form:	Liquid
Form: Color:	Liquid Clear
Odor:	Lavender
Odour threshold:	Not determined.
pH-value at 20 °C (68 °F):	7.5
• • • •	7.5
Change in condition Melting point/Melting range:	Undetermined.
Boiling point/Boiling range:	$82 \ ^{\circ}C (180 \ ^{\circ}F)$
Flash point:	13 °C (55 °F)
Flammability (solid, gaseous):	Not applicable.
Ignition temperature:	425 °C (797 °F)
Decomposition temperature:	Not determined.
Auto igniting:	Product is not selfigniting.
Danger of explosion:	Product is not explosive. However, formation of explosive air/vapo
~ ~ ~	mixtures are possible.
Explosion limits:	
Lower:	2.0 Vol %
Upper:	12.0 Vol %
Vapor pressure at 20 °C (68 °F):	43 hPa (32 mm Hg)
Density at 20 °C (68 °F):	1 g/cm ³ (8.345 lbs/gal)
Relative density	Not determined.
Vapour density	Not determined.
Evaporation rate	Not determined.
Solubility in / Miscibility with	
Water:	Fully miscible.
Partition coefficient (n-octanol/wate	e r): Not determined.
Viscosity:	
Dynamic:	Not determined.
Kinematic:	Not determined.
Solvent content:	
Organic solvents:	29.9 %
Water:	65.3 %
VOC content:	31.6 %
	298.9 g/l / 2.49 lb/gl
Solids content:	3.1 %
Other information	No further relevant information available.

(Contd. on page 6)

Printing date 11/04/2014

Reviewed on 02/07/2014

Trade name: On & On

(Contd. of page 5)

10 Stability and reactivity

- · Reactivity
- · Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions Reacts with strong acids and oxidizing agents.
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: Carbon monoxide and carbon dioxide

11 Toxicological information

- · Information on toxicological effects
- Acute toxicity:
- · Primary irritant effect:
- on the skin: No irritant effect.
- on the eye: Irritating effect.
- Sensitization: Sensitization possible through skin contact.
- · Additional toxicological information:
- The product shows the following dangers according to internally approved calculation methods for preparations: Harmful
- Irritant

· Carcinogenic categories

· IARC (International Agency for Research on Cancer)

67-63-0 propan-2-ol

· NTP (National Toxicology Program)

None of the ingredients is listed.

· OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

12 Ecological information

· Toxicity

- Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
- · Additional ecological information:

· General notes:

Water hazard class 3 (Self-assessment): extremely hazardous for water

Do not allow product to reach ground water, water course or sewage system, even in small quantities.

Danger to drinking water if even extremely small quantities leak into the ground.

- · Results of PBT and vPvB assessment
- **PBT:** Not applicable.
- vPvB: Not applicable.
- · Other adverse effects No further relevant information available.

(Contd. on page 7)

3

Printing date 11/04/2014

Reviewed on 02/07/2014

Trade name: On & On

(Contd. of page 6)

13 Disposal considerations

- · Waste treatment methods
- · Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packagings:
- *Recommendation: Disposal must be made according to official regulations.*
- · Recommended cleansing agent: Water, if necessary with cleansing agents.

UN-Number	
DOT, IMDG, IATA	UN1219
UN proper shipping name	
DOT IMDG, IATA	Isopropanol (Isopropyl alcohol), mixture ISOPROPANOL (ISOPROPYL ALCOHOL), mixture
	ISOI KOI AIVOL (ISOI KOI IL ALCOHOL), IIIAIUITE
Transport hazard class(es)	
DOT	
PLAMABLE LOUD	
3	
Class	3 Flammable liquids
Label	3
IMDG, IATA	
A	
V	
Class	3 Flammable liquids 3
Label	5
Packing group	II
DOT, IMDG, IATA	11
Environmental hazards:	Ma
Marine pollutant:	No
Special precautions for user	22
Danger code (Kemler): EMS Number:	33 F-E,S-D
Transport in bulk according to Annex I	
MARPOL73/78 and the IBC Code	Not applicable.
Transport/Additional information:	
DOT	
Quantity limitations	On passenger aircraft/rail: 5 L
	On cargo aircraft only: 60 L

Printing date 11/04/2014

Reviewed on 02/07/2014

Trade name: On & On

(Contd	of	nage	7
(Contd.	01	page	1

· IMDG	
· Limited quantities (LQ)	1L
· Excepted quantities (EQ)	Code: E2
	Maximum net quantity per inner packaging: 30 ml
	Maximum net quantity per outer packaging: 500 ml
· UN "Model Regulation":	UN1219, Isopropanol (Isopropyl alcohol), mixture, 3, II

15 Regulatory information

 \cdot Safety, health and environmental regulations/legislation specific for the substance or mixture \cdot Sara

· Section 355 (extremely hazardous substances):

None of the ingredients is listed.

· Section 313 (Specific toxic chemical listings):

67-63-0 propan-2-ol

• TSCA (Toxic Substances Control Act):

67-63-0 propan-2-ol

66455-15-0 C10-12 6 Mole Linear Alcohol Ethoxylate

7732-18-5 water, distilled, conductivity or of similar purity

· Proposition 65

· Chemicals known to cause cancer:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for females:

None of the ingredients is listed.

· Chemicalsknown to cause reproductive toxicity for males.

None of the ingredients is listed.

· Chemicals known to cause developmental toxicity:

None of the ingredients is listed.

· Carcinogenic categories

· EPA (Environmental Protection Agency)

None of the ingredients is listed.

· TLV (Threshold Limit Value established by ACGIH)

67-63-0 propan-2-ol

· NIOSH-Ca (National Institute for Occupational Safety and Health)

None of the ingredients is listed.

• *GHS label elements* The product is classified and labeled according to the Globally Harmonized System (GHS). • *Hazard pictograms*



· Signal word Danger

A4

Printing date 11/04/2014

Reviewed on 02/07/2014

(Contd. of page 8)

Trade name: On & On

· Hazard-determining components of labeling: Fragrance (Generic) · Hazard statements Highly flammable liquid and vapor. Causes serious eye irritation. May cause an allergic skin reaction. May cause drowsiness or dizziness. · Precautionary statements If medical advice is needed, have product container or label at hand. Keep out of reach of children. Read label before use. Keep away from heat/sparks/open flames/hot surfaces. - No smoking. Use explosion-proof electrical/ventilating/lighting/equipment. IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Store locked up. Dispose of contents/container in accordance with local/regional/national/international regulations. · Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- · Department issuing MSDS: Environment protection department.
- Date of preparation / last revision
- 11/04/2014 / -
- 02/07/2014
- · Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods

- DOT: US Department of Transportation
- IATA: International Air Transport Association
- ACGIH: American Conference of Governmental Industrial Hygienists
- EINECS: European Inventory of Existing Commercial Chemical Substances
- ELINCS: European List of Notified Chemical Substances
- CAS: Chemical Abstracts Service (division of the American Chemical Society)
- NFPA: National Fire Protection Association (USA)
- HMIS: Hazardous Materials Identification System (USA)
- VOC: Volatile Organic Compounds (USA, EU)
- Flam. Liq. 2: Flammable liquids, Hazard Category 2
- Eye Irrit. 2A: Serious eye damage/eye irritation, Hazard Category 2A
- Skin Sens. 1: Sensitisation Skin, Hazard Category 1
- STOT SE 3: Specific target organ toxicity Single exposure, Hazard Category 3