SECTION 1 - PRODUCT AND COMPANY IDENTIFICATION

PRODUCT NAME: PRONTO

PRODUCT CODE: PK 6514
GENERAL USE: Cleaning agent

PRODUCT DESCRIPTION: Green liquid, sassafras odor



Ī	MANUFACTURER'S NAME		DATE PREPARED:	September 1, 2011	Page 1 of 4	
	Power Kleen Corporation		SUPERSEDES:	October 10, 2008	raye 1014	
Ī	ADDRESS (NUMBER, STREET, P.O. BOX)		TELEPHONE NUMBER FOR INFORMATION			
	101 South Bayview Blvd		(813) 854-2648			
Ī	(CITY, STATE AND ZIP CODE)	COUNTRY	EMERGENCY TELEF	PHONE NUMBER		
	Oldsmar, FL 34677	USA	ChemTel Inc. 1- (80	(800) 255-3924 Intl. + 01 (813) 248-0585		

SECTION 2 - HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

Alkaline liquid, prolonged contact may cause skin & eye irritation. Ingestion may cause gastric distress. Hazard Symbols for this product - Xi, Risk Phrases - R36/38

POTENTIAL HEALTH EFFECTS

INHALATION: High concentrations are irritating to the respiratory tract; may cause headache, dizziness, nausea, vomiting and malaise.

SKIN: Brief contact may cause slight irritation; prolonged contact may cause moderate reddening, swelling and possible necrosis.

EYES: Contact causes severe irritation and pain associated with redness and swelling of the conjunctiva.

INGESTION: Moderately toxic; may cause headache, dizziness, diarrhea and general weakness; large doses may result in red blood cell hemolysis.

CARCINOGENICITY NTP? No IARC MONOGRAPHS? NO OSHA REGULATED? NO

SITION / IN	IFORMATI	ON ON I	NGRE	DIENT	S		
CAS#	EINECS#	%	OSH.	A PEL	ACGI	H TWA	RQ
		(by weight)	PPM	MG/M3	PPM	MG/M3	LBS
111-76-2	203-905-0	2 - 3	50	240	20		
67-63-0	200-661-7	2 - 3	400	980	400		
6834-92-0	229-912-9	1 - 3		6			
	CAS # 111-76-2 67-63-0	CAS # EINECS # 111-76-2 203-905-0 67-63-0 200-661-7	CAS # EINECS # % (by weight) 111-76-2 203-905-0 2 - 3 67-63-0 200-661-7 2 - 3	CAS# EINECS# % OSH (by weight) PPM 111-76-2 203-905-0 2 - 3 50 67-63-0 200-661-7 2 - 3 400	CAS # EINECS # (by weight) % (by weight) OSHA PEL PPM MG/M3 111-76-2 203-905-0 2 - 3 50 240 67-63-0 200-661-7 2 - 3 400 980	CAS # EINECS # (by weight) PPM MG/M3 PPM 111-76-2 203-905-0 2 - 3 50 240 20 67-63-0 200-661-7 2 - 3 400 980 400	CAS # EINECS # (by weight) % (by weight) OSHA PEL (DY MG/M3) ACGIH TWA PPM (DY MG/M3) 111-76-2 203-905-0 2 - 3 50 240 20 67-63-0 200-661-7 2 - 3 400 980 400

The remaining components of this product are non-hazardous or are in small enough quantities as to not meet regulatory thresholds for disclosure. These components contain no substances or impurities which would influence the classification of this product.

(a) See Section 15

(b) Indicates an employee's skin exposure shall be prevented or reduced to the extent necessary in the circumstances through the use of gloves, coveralls, goggles, or other appropriate equipment.

PRODUCT NAME: PRONTO Page 2 of 4 September 1, 2011

SECTION 4 - FIRST AID MEASURES

INHALATION: Remove affected person to fresh air; provide oxygen if breathing is difficult; if affected person is not breathing, administer CPR and seek emergency medical attention.

SKIN: Remove contaminated clothing; wash affected area with soap and water; launder contaminated clothing before reuse; if irritation persists, seek medical attention.

EYES: Check for and remove contact lenses. Flush eyes with clear running water for 15 minutes while holding eyelids open; if irritation persists, seek medical attention.

INGESTION: Give two glasses of water for dilution; Induce vomiting by sticking fingers down throat; never give anything by mouth to an unconscious person; seek medical attention.

SECTION 5 - FIRE FIGHTING MEASURES

FLASH POINT (METHOD USED) FLAMMABLE LIMITS LEL: Not applicable UEL: Not applicable Non-flammable **AUTOIGNITION TEMPERATURE:** Not determined NFPA CLASS: None

GENERAL HAZARDS: Product is alkaline. Products of combustion include compounds of carbon, hydrogen and oxygen, including carbon monoxide.

EXTINGUISHING MEDIA

Carbon dioxide, water, water fog, dry chemical, chemical foam.

FIRE FIGHTING PROCEDURES

Keep containers cool with water spray to prevent container rupture due to steam buildup; floor will become slippery if material is released. Material is alkaline and will irritate the eyes if product is allowed to directly contact the eyes.

UNUSUAL FIRE AND EXPLOSION HAZARDS

None

HAZARDOUS COMBUSTION PRODUCTS

Smoke, fumes or vapors, oxides of carbon.

SECTION 6 - ACCIDENTAL RELEASE MEASURES

STEPS TO BE TAKEN IN CASE MATERIAL IS RELEASED OR SPILLED: Material is alkaline and will irritate the eyes if product is allowed to directly contact the eyes. Wash small spills to sanitary sewer. Large spills - confine spill, soak up with approved absorbent, shovel product into approved container for disposal. This is a regulated product, refer to SARA Title III, Section 313 40 CFR 372 for complete spill reporting regulations.

SECTION 7 - HANDLING AND STORAGE

PRECAUTIONS TO BE TAKEN IN HANDLING AND STORAGE: Keep container closed when not in use; protect containers from abuse; protect from extreme temperatures. Keep this and other chemicals out of reach of children.

SECTION 8 - EXPOSURE CONTROLS / PERSONAL PROTECTION

ENGINEERING CONTROLS

The use of local exhaust ventilation is recommended. Use corrosion-resistant ventilation equipment.

PERSONAL PROTECTION:

RESPIRATORY PROTECTION: None required while threshold limits are kept below maximum allowable concentrations: if TWA exceeds limits, NIOSH approved respirator must be worn. Refer to 29 CFR 1910.134, ANSI Z88.2, or European Standard EN 149 for complete

PROTECTIVE GLOVES: Neoprene, butyl or nitrile rubber gloves with cuffs.

EYE PROTECTION: Chemical splash goggles. Refer to 29 CFR 1910.133, ANSI Z87.1, or European Standard EN166.

OTHER PROTECTIVE CLOTHING OR EQUIPMENT: Coveralls, apron, or other equipment should be worn to minimize skin contact, safety eyewash station nearby.

WORK / HYGIENIC PRACTICES: Practice safe workplace habits. Minimize body contact with this, as well as all chemicals in general.

PRODUCT NAME: PRONTO

Page 3 of 4 September 1, 2011

SECTION 9-PHYSICAL AND	D CHEMICAL PROPERTIES
APPEARANCE AND ODOR	VAPOR DENSITY (AIR = 1)
Green liquid, sassafras odor	<1
SPECIFIC GRAVITY (WATER = 1)	EVAPORATION RATE (Water = 1)
1.030	>1
SOLUBILITY IN WATER	% VOLATILE (BY WEIGHT)

SOLUBILITY IN Complete 91%

VAPOR PRESSURE pН 17 mm Hg @ 20° C 10.0

BOILING POINT FREEZING POINT 212° F (100° C) 32° F (0° C)

VOLATILE ORGANIC COMPOUNDS (VOC's) VISCOSITY Like that of water Not determined

SECTION 10 - STABILITY AND REACTIVITY

CONDITIONS TO AVOID: Extreme temperatures. STABILITY UNSTABLE:

STABLE:

INCOMPATIBILITY (MATERIALS TO AVOID): Strong oxidizers, strong acids.

HAZARDOUS DECOMPOSITION OR BYPRODUCTS: Decomposition will not occur if handled and stored properly. In case of a fire, oxides of carbon, hydrocarbons, fumes or vapors, and smoke may be produced.

HAZARDOUS POLYMERIZATION MAY OCCUR: CONDITIONS TO AVOID: None

WILL NOT OCCUR: X

SECTION 11	- TOXICOL	OGICAL IN	IFORMATION	
Hazardous Ingredients	CAS#	EINECS#	LD50 of Ingredient	LC50 of Ingredient
Trazardodo ingrediente	0/10#		Species and Route	Species
Ethylene glycol monobutyl ether (a,b)	111-76-2	203-905-0	470 mg / kg	450 ppm / 4H
			Oral - rat	Inhalation - rat
Isopropyl alcohol	67-63-0	200-661-7	5840 mg / kg	22,500 ppm / 4H
			Oral - rat	Inhalation - rat
Sodium metasilicate	6834-92-0	229-912-9	1153 mg / kg	Not established
Sociali metasiicate			Oral - rat	
(a) See Section 15				

INFORMATION

No data are available on the adverse effects of this material on the environment. Neither COD nor BOD data are available. Based on the chemical composition of this product it is assumed that the mixture can be treated in an acclimatized biological waste treatment plant system in limited quantities. However, such treatment should be evaluated and approved for each specific biological system. None of the ingredients in this mixture are classified as a Marine Pollutant.

SECTION 13 - DISPOSAL CONSIDERATIONS

WASTE DISPOSAL METHOD: Dispose of in accordance with local, state, and federal regulations. Refer to 40 CFR 260 - 299 for complete waste disposal regulations for alkaline materials. Consult your local, state, or federal agency before disposing of any chemicals.

SECTION 14 - TRANSPORT INFORMATION

PROPER SHIPPING NAME: Non - Hazardous for Transport

DOT HAZARD CLASS / Pack Group: Not regulated

REFERENCE: Not Applicable

UN / NA IDENTIFICATION NUMBER: None

LABEL: None Required

HAZARD SYMBOLS: None

IATA HAZARD CLASS / Pack Group: Not regulated IMDG HAZARD CLASS: Not regulated RID/ADR Dangerous Goods Code: Not regulated

UN TDG Class / Pack Group: Not regulated

Hazard Identification Number (HIN): None

Note: Transportation information provided is for reference only. Customer is urged to consult 49 CFR 100 - 177, IMDG, IATA, EC, United Nations TDG, and WHMIS (Canada) TDG information manuals for detailed regulations and exceptions covering specific container sizes, packaging materials and methods of shipping.

PRODUCT NAME: PRONTO
September 1, 2011
Page 4 of 4

SECTION 15 - REGULATORY INFORMATION

TSCA (Toxic Substance Control Act)

All components of this product are listed on the U.S. Toxic Substances Control Act Chemical Inventory (TSCA Inventory) or are exempted from listing because a Low Volume Exemption has been granted in accordance with 40 CFR 723.50.

SARA TITLE III (Superfund Amendments and Reauthorization Act)

311/312 Hazard Categories

Immediate health

313 Reportable Ingredients:

(a) Indicates a toxic chemical subject to annual reporting requirements of Section 313 of the Emergency Planning and Community Right-To-Know Act of 1986 and of 40 CFR 372.

CERCLA (Comprehensive Response Compensation and Liability Act)

None

California Prop 65, Safe Drinking Water and Toxic Enforcement Act of 1986

There are no reportable chemicals present known to the state of California to cause cancer or reproductive toxicity.

CPR (Canadian Controlled Products Regulations)

This product has been classified in accordance with the hazard criteria of the Controlled Products Regulations and the MSDS contains all the information required by the Controlled Products Regulations. WHMIS Classification: D1A, D2B

IDL (Canadian Ingredient Disclosure List)

Components of this product identified by CAS number and listed on the Canadian Ingredient Disclosure List are shown in Section 3.

DSL / NDSL (Canadian Domestic Substances List / Non-Domestic Substances List)

Components of this product identified by CAS number are listed on the DSL or NDSL, or are otherwise in compliance with the New Substances Notification (NSN) regulations. Only ingredients classified as "hazardous" are listed in Section 3 unless otherwise indicated.

EINECS (European Inventory of Existing Commercial Chemical Substances)

Components of this product identified by CAS numbers are on the European Inventory of Existing Commercial Chemical Substances.

WGK Water Quality Index: 1 VbK Index: A III

Risk Phrases

R36/38 Irritating to eyes and skin.

SYMBOL(S) REQUIRED FOR LABEL

Irritant

Safety Phrases

S2 Keep out of the reach of children. S24/25 Avoid contact with skin and eyes.

SECTION 16 - OTHER INFORMATION

Specific toxicity tests have not been conducted on this product. Our hazard evaluation is based on Information from similar products, the ingredients, technical literature, and/or professional experience.

HMIS HAZARD RATINGSHEALTH1* = Chronic Health Hazard2 = MODERATEFLAMMABILITY00 = INSIGNIFICANT3 = HIGH

PHYSICAL HAZARD

PERSONAL PROTECTIVE EQUIPMENT C Safety Glasses, Gloves, Apron

0

REVISION SUMMARY:

This MSDS has been revised in the following sections: Complete format update

MSDS Prepared by:

Jamson Laboratories, Inc. 101 South Bayview Blvd. Oldsmar, FL 34677 USA

(813) 855 - 4565 www.jamsonlabs.com

1 = SLIGHT

4 = EXTREME

The information contained herein is believed to be accurate but is not warranted to be so. Data and calculations are based on information furnished by the manufacturer of the product and manufacturers of the components of the product. Users are advised to confirm in advance of need that information is current, applicable and suited to the circumstances of use. Vendor assumes no responsibility for injury to vendee or third persons proximately caused by the material if reasonable safety procedures are not adhered to as stipulated in the data sheet. Furthermore, vendor assumes no responsibility for injury caused by abnormal use of this material even if reasonable safety procedures are followed. Any questions regarding this product should be directed to the manufacturer of the product as described in Section 1.