

# Safety Data Sheet

acc. to OSHA HCS

Printing date 05/19/2015

Reviewed on 04/24/2014

## 1 Identification

- **Product identifier**
- **Trade name:** Quarry Tile Cleaner
- **Article number:** 6545 PK TS
- **Details of the supplier of the safety data sheet**
- **Manufacturer/Supplier:**  
Power Kleen Corporation  
101 South Bayview Blvd.  
OLDSMAR, FL 34677  
USA
- **Information department:** Product Safety Department
- **Emergency telephone number:** ChemTel Inc. (800) 255-3924 Intl. +01 (813) 248-0585



## 2 Hazard(s) identification

- **Classification of the substance or mixture**



GHS05 Corrosion

Eye Dam. 1 H318 Causes serious eye damage.



GHS07

Acute Tox. 4 H302 Harmful if swallowed.

- **Label elements**

- **GHS label elements** The product is classified and labeled according to the Globally Harmonized System (GHS).
- **Hazard pictograms**



GHS05 GHS07

- **Signal word** Danger

- **Hazard-determining components of labeling:**

Benzenesulfonic acid, C10-16-alkyl derivs.  
Mineral Acid Salt of Organic Amide

- **Hazard statements**

Harmful if swallowed.  
Causes serious eye damage.

- **Precautionary statements**

If medical advice is needed, have product container or label at hand.  
Keep out of reach of children.  
Read label before use.  
Wear eye protection / face protection.  
Wash thoroughly after handling.  
If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do.  
Continue rinsing.  
Immediately call a poison center/doctor.

(Contd. on page 2)

USA

# Safety Data Sheet

acc. to OSHA HCS

Printing date 05/19/2015

Reviewed on 04/24/2014

Trade name: **Quarry Tile Cleaner**

(Contd. of page 1)

If swallowed: Call a poison center/doctor if you feel unwell.

Dispose of contents/container in accordance with local/regional/national/international regulations.

· **Classification system:**

· **NFPA ratings (scale 0 - 4)**



Health = 3

Fire = 0

Reactivity = 0

· **HMIS-ratings (scale 0 - 4)**



Health = 3

Fire = 0

Reactivity = 0

· **Other hazards**

· **Results of PBT and vPvB assessment**

· **PBT:** Not applicable.

· **vPvB:** Not applicable.

### 3 Composition/information on ingredients

· **Chemical characterization: Mixtures**

· **Description:** Mixture of the substances listed below with nonhazardous additions.

· **Dangerous components:**

	Trade secret	2.5-10%
68439-46-3	C9-11 Alcohols Ethoxylated	2.5-10%
68584-22-5	Benzenesulfonic acid, C10-16-alkyl derivs.	2.5-10%
	Mineral Acid Salt of Organic Amide	≤ 2.5%

### 4 First-aid measures

· **Description of first aid measures**

· **General information:**

Immediately remove any clothing soiled by the product.

Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.

· **After inhalation:** Supply fresh air; consult doctor in case of complaints.

· **After skin contact:** Immediately rinse with water.

· **After eye contact:**

Remove contact lenses if able to do so.

Rinse opened eye for several minutes under running water. Then consult a doctor.

· **After swallowing:**

Do not induce vomiting; immediately call for medical help.

Rinse out mouth and then drink plenty of water.

A person vomiting while lying on their back should be turned onto their side.

Immediately call a doctor.

· **Most important symptoms and effects, both acute and delayed**

Gastric or intestinal disorders

Corrosive and extremely irritating to all tissues.

Nausea

Cramp

(Contd. on page 3)

# Safety Data Sheet

acc. to OSHA HCS

Printing date 05/19/2015

Reviewed on 04/24/2014

**Trade name: Quarry Tile Cleaner**

(Contd. of page 2)

*Thirst*

- **Danger** Danger of gastric perforation.
- **Indication of any immediate medical attention and special treatment needed**  
Administer Milk of Magnesia or Milk and other non-alcoholic liquids as available. **DO NOT INDUCE VOMITING!**  
Medical supervision for at least 48 hours.

## 5 Fire-fighting measures

- **Extinguishing media**
- **Suitable extinguishing agents:**  
*CO<sub>2</sub>, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.*
- **Special hazards arising from the substance or mixture** *No further relevant information available.*
- **Advice for firefighters**
- **Protective equipment:** *No special measures required.*

## 6 Accidental release measures

- **Personal precautions, protective equipment and emergency procedures** *Not required.*
- **Environmental precautions:**  
*Dilute with plenty of water.*  
*Do not allow to enter sewers/ surface or ground water.*
- **Methods and material for containment and cleaning up:**  
*Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).*  
*Dispose contaminated material as waste according to item 13.*  
*Ensure adequate ventilation.*
- **Reference to other sections**  
*See Section 7 for information on safe handling.*  
*See Section 8 for information on personal protection equipment.*  
*See Section 13 for disposal information.*

## 7 Handling and storage

- **Precautions for safe handling**  
*Ensure good ventilation/exhaustion at the workplace.*  
*Prevent formation of aerosols.*
- **Information about protection against explosions and fires:** *No special measures required.*
- **Conditions for safe storage, including any incompatibilities**
- **Storage:**
- **Requirements to be met by storerooms and receptacles:**  
*Unsuitable material for receptacle: aluminium.*  
*Unsuitable material for receptacle: steel.*
- **Information about storage in one common storage facility:**  
*Do not store together with alkalis (caustic solutions).*  
*Store away from oxidizing agents.*  
*Store away from metals.*  
*Store away from foodstuffs.*
- **Further information about storage conditions:** *Keep receptacle tightly sealed.*
- **Specific end use(s)** *No further relevant information available.*

USA

(Contd. on page 4)

# Safety Data Sheet

acc. to OSHA HCS

Printing date 05/19/2015

Reviewed on 04/24/2014

Trade name: Quarry Tile Cleaner

(Contd. of page 3)

## 8 Exposure controls/personal protection

- **Additional information about design of technical systems:** No further data; see item 7.
- **Control parameters**
- **Components with limit values that require monitoring at the workplace:**  
The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.
- **Additional information:** The lists that were valid during the creation were used as basis.
- **Exposure controls**
- **Personal protective equipment:**
- **General protective and hygienic measures:**  
Keep away from foodstuffs, beverages and feed.  
Immediately remove all soiled and contaminated clothing.  
Wash hands before breaks and at the end of work.  
Avoid contact with the eyes.
- **Breathing equipment:**  
In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air.
- **Protection of hands:**



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.  
Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

- **Material of gloves**

Neoprene gloves  
PVC or PE gloves  
Nitrile rubber, NBR  
Butyl rubber, BR

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

- **Penetration time of glove material**

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

- **Not suitable are gloves made of the following materials:** Leather gloves

- **Eye protection:**



Tightly sealed goggles

- **Body protection:**

Acid resistant protective clothing  
Apron

USA

(Contd. on page 5)

# Safety Data Sheet

acc. to OSHA HCS

Printing date 05/19/2015

Reviewed on 04/24/2014

Trade name: Quarry Tile Cleaner

(Contd. of page 4)

## 9 Physical and chemical properties

- **Information on basic physical and chemical properties**

- **General Information**

- **Appearance:**

Form:	Liquid
Color:	Green
Odor:	Characteristic
Odour threshold:	Not determined.

- **pH-value at 20 °C (68 °F):** < 2

- **Change in condition**

Melting point/Melting range:	Undetermined.
Boiling point/Boiling range:	100 °C (212 °F)

- **Flash point:** Not applicable.

- **Flammability (solid, gaseous):** Not applicable.

- **Ignition temperature:**

Decomposition temperature: Not determined.

- **Auto igniting:** Product is not selfigniting.

- **Danger of explosion:** Product does not present an explosion hazard.

- **Explosion limits:**

Lower:	Not determined.
Upper:	Not determined.

- **Vapor pressure:** Not determined.

- **Density at 20 °C (68 °F):** 1.124 g/cm<sup>3</sup> (9.38 lbs/gal)

- **Relative density** Not determined.

- **Vapour density** Not determined.

- **Evaporation rate** Not determined.

- **Solubility in / Miscibility with**

Water: Fully miscible.

- **Partition coefficient (n-octanol/water):** Not determined.

- **Viscosity:**

Dynamic:	Not determined.
Kinematic:	Not determined.

- **Solvent content:**

Organic solvents:	0.0 %
Water:	81.3 %

Solids content: 14.6 %

- **Other information** No further relevant information available.

## 10 Stability and reactivity

- **Reactivity**

- **Chemical stability**

- **Thermal decomposition / conditions to be avoided:** No decomposition if used according to specifications.

(Contd. on page 6)

# Safety Data Sheet

acc. to OSHA HCS

Printing date 05/19/2015

Reviewed on 04/24/2014

Trade name: *Quarry Tile Cleaner*

(Contd. of page 5)

- **Possibility of hazardous reactions**  
*Reacts with strong oxidizing agents.*  
*Reacts with alkali (lyes).*  
*Reacts with metals forming hydrogen.*
- **Conditions to avoid** *No further relevant information available.*
- **Incompatible materials:** *No further relevant information available.*
- **Hazardous decomposition products:**  
*Carbon monoxide and carbon dioxide*  
*Hydrogen*  
*Hydrogen chloride (HCl)*  
*Nitrogen oxides*

## 11 Toxicological information

- **Information on toxicological effects**
- **Acute toxicity:**
- **Primary irritant effect:**
- **on the skin:** *No irritant effect.*
- **on the eye:** *Strong irritant with the danger of severe eye injury.*
- **Sensitization:** *No sensitizing effects known.*
- **Additional toxicological information:**  
*The product shows the following dangers according to internally approved calculation methods for preparations:*  
*Harmful*  
*Irritant*
- **Carcinogenic categories**

· <b>IARC (International Agency for Research on Cancer)</b>	
7664-93-9   sulphuric acid 98.%	I

· <b>NTP (National Toxicology Program)</b>	
7664-93-9   sulphuric acid 98.%	K

· <b>OSHA-Ca (Occupational Safety &amp; Health Administration)</b>	
<i>None of the ingredients is listed.</i>	

## 12 Ecological information

- **Toxicity**
- **Aquatic toxicity:** *No further relevant information available.*
- **Persistence and degradability** *No further relevant information available.*
- **Bioaccumulative potential** *No further relevant information available.*
- **Mobility in soil** *No further relevant information available.*
- **Additional ecological information:**
- **General notes:**  
*Water hazard class 3 (Self-assessment): extremely hazardous for water*  
*Do not allow product to reach ground water, water course or sewage system, even in small quantities.*  
*Danger to drinking water if even extremely small quantities leak into the ground.*
- **Results of PBT and vPvB assessment**
- **PBT:** *Not applicable.*
- **vPvB:** *Not applicable.*
- **Other adverse effects** *No further relevant information available.*

USA

(Contd. on page 7)

# Safety Data Sheet

acc. to OSHA HCS

Printing date 05/19/2015

Reviewed on 04/24/2014

Trade name: *Quarry Tile Cleaner*

(Contd. of page 6)

## 13 Disposal considerations

- **Waste treatment methods**
- **Recommendation:**  
Must not be disposed of together with household garbage. Do not allow product to reach sewage system.
- **Uncleaned packagings:**
- **Recommendation:** Disposal must be made according to official regulations.
- **Recommended cleansing agent:** Water, if necessary with cleansing agents.

## 14 Transport information

<b>· UN-Number</b>	
<b>· DOT</b>	Not regulated
<b>· UN proper shipping name</b>	
<b>· DOT</b>	Not regulated
<b>· Transport hazard class(es)</b>	
<b>· DOT</b>	Not applicable
<b>· Packing group</b>	
<b>· DOT</b>	Not applicable
<b>· Environmental hazards:</b>	
<b>· Marine pollutant:</b>	No
<b>· Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code</b>	Not applicable.
<b>· Transport/Additional information:</b>	
<b>· IMDG</b>	
<b>· Excepted quantities (EQ)</b>	Code: E1
<b>· UN "Model Regulation":</b>	Not regulated

## 15 Regulatory information

<b>· Safety, health and environmental regulations/legislation specific for the substance or mixture</b>	
<b>· Sara</b>	
<b>· Section 355 (extremely hazardous substances):</b>	
7664-93-9	sulphuric acid 98.%
<b>· Section 313 (Specific toxic chemical listings):</b>	
7664-93-9	sulphuric acid 98.%
<b>· TSCA (Toxic Substances Control Act):</b>	
68439-46-3	C9-11 Alcohols Ethoxylated
68584-22-5	Benzenesulfonic acid, C10-16-alkyl derivs.
68648-87-3	Benzene C-10-16 Alkylate
7664-93-9	sulphuric acid 98.%
7732-18-5	water, distilled, conductivity or of similar purity

(Contd. on page 8)

-USA-

# Safety Data Sheet

acc. to OSHA HCS

Printing date 05/19/2015

Reviewed on 04/24/2014

Trade name: *Quarry Tile Cleaner*

(Contd. of page 7)

- **Proposition 65**

- **Chemicals known to cause cancer:**

None of the ingredients is listed.

- **Chemicals known to cause reproductive toxicity for females:**

None of the ingredients is listed.

- **Chemicals known to cause reproductive toxicity for males:**

None of the ingredients is listed.

- **Chemicals known to cause developmental toxicity:**

None of the ingredients is listed.

- **Carcinogenic categories**

- **EPA (Environmental Protection Agency)**

None of the ingredients is listed.

- **TLV (Threshold Limit Value established by ACGIH)**

7664-93-9 sulphuric acid 98.%

A2

- **NIOSH-Ca (National Institute for Occupational Safety and Health)**

None of the ingredients is listed.

- **GHS label elements** The product is classified and labeled according to the Globally Harmonized System (GHS).

- **Hazard pictograms**



GHS05 GHS07

- **Signal word** *Danger*

- **Hazard-determining components of labeling:**

*Benzenesulfonic acid, C10-16-alkyl derivs.**Mineral Acid Salt of Organic Amide*

- **Hazard statements**

*Harmful if swallowed.**Causes serious eye damage.*

- **Precautionary statements**

*If medical advice is needed, have product container or label at hand.**Keep out of reach of children.**Read label before use.**Wear eye protection / face protection.**Wash thoroughly after handling.**If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do.**Continue rinsing.**Immediately call a poison center/doctor.**If swallowed: Call a poison center/doctor if you feel unwell.**Dispose of contents/container in accordance with local/regional/national/international regulations.*

- **Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

## 16 Other information

*This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.*

(Contd. on page 9)



**Safety Data Sheet**  
**acc. to OSHA HCS**

Printing date 05/19/2015

Reviewed on 04/24/2014

**Trade name: Quarry Tile Cleaner**

(Contd. of page 8)

· **Department issuing SDS:** Environment protection department.

· **Date of preparation / last revision** 05/19/2015 / -

· **Abbreviations and acronyms:**

*IMDG: International Maritime Code for Dangerous Goods*

*DOT: US Department of Transportation*

*ACGIH: American Conference of Governmental Industrial Hygienists*

*EINECS: European Inventory of Existing Commercial Chemical Substances*

*ELINCS: European List of Notified Chemical Substances*

*CAS: Chemical Abstracts Service (division of the American Chemical Society)*

*NFPA: National Fire Protection Association (USA)*

*HMIS: Hazardous Materials Identification System (USA)*

*Acute Tox. 4: Acute toxicity, Hazard Category 4*

*Eye Dam. 1: Serious eye damage/eye irritation, Hazard Category 1*

USA