Printing date 10/30/2014


Reviewed on 02/13/2014

Printing date 10/30/2014	<i>Kevlewea on 02/13/2014</i>
1 Identification	
· Product identifier	
·	
· Trade name: <u>Glass Cleaner</u>	Jamson Labs Power Kleen
• Article number: 6601 PK	Chemical Solutions Since 1973
· Details of the supplier of the safety data sheet	Chemical bolations blief 1775
· Manufacturer/Supplier:	
Power Kleen Corporation 101 South Bayview Blvd.	
OLDSMAR, FL 34677	
USA	
· Information department: Product Safety Department	·
• Emergency telephone number: ChemTel Inc. (800) 2	
2 Hazard(s) identification	
Classification of the substance or mixture	
$\mathbf{\Lambda}$	
GHS02 Flame	
× ×	
Flam. Liq. 2 H225 Highly flammable liquid and vap	oor.
· · · · · · · · · · · · · · · · · · ·	
GHS07	
GHS0/	
Eye Irrit. 2A H319 Causes serious eye irritation.	
STOT SE 3 H336 May cause drowsiness or dizzine	<i>SS</i> .
· Label elements	
• GHS label elements The product is classified and lab • Hazard pictograms	eled according to the Globally Harmonized System (GHS).
GHS02 GHS07	
GHS02 GHS07	
· Signal word Danger	
· Hazard statements	
Highly flammable liquid and vapor.	
Causes serious eye irritation.	
May cause drowsiness or dizziness. • Precautionary statements	
If medical advice is needed, have product container of	or label at hand.
Keep out of reach of children.	
Read label before use.	N 7.
Keep away from heat/sparks/open flames/hot surface.	
Use explosion-proof electrical/ventilating/lighting/eq IF ON SKIN (or hair): Remove/Take off immediately	upment. all contaminated clothing. Rinse skin with water/shower.
	l minutes. Remove contact lenses, if present and easy to do.
Continue rinsing.	
Store locked up.	
	(Contd. on page 2) USA –

Printing date 10/30/2014

Reviewed on 02/13/2014

Trade name: Glass Cleaner



- · Description of first aid measures
- General information:

Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.

· After inhalation:

Supply fresh air. If required, provide artificial respiration. Keep patient warm. Consult doctor if symptoms persist. In case of unconsciousness place patient stably in side position for transportation.

- After skin contact: Generally the product does not irritate the skin.
- · After eye contact:

Remove contact lenses if able to do so.

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

• After swallowing:

Drink copious amounts of water and provide fresh air. Immediately call a doctor.

- Do not induce vomiting; immediately call for medical help.
- A person vomiting while lying on their back should be turned onto their side.

· Most important symptoms and effects, both acute and delayed

Nausea Coughing Cramp Headache Dizziness

(Contd. on page 3)

USA

Printing date 10/30/2014

Reviewed on 02/13/2014

(Contd. of page 2)

Trade name: Glass Cleaner

• *Indication of any immediate medical attention and special treatment needed No further relevant information available.*

5 Fire-fighting measures

- · Extinguishing media
- Suitable extinguishing agents:

CO2, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

- Special hazards arising from the substance or mixture Carbon monoxide (CO)
- Advice for firefighters
- · Protective equipment: Mouth respiratory protective device.

6 Accidental release measures

- Personal precautions, protective equipment and emergency procedures Wear protective equipment. Keep unprotected persons away.
- *Environmental precautions: Dilute with plenty of water.*
- Do not allow to enter sewers/ surface or ground water.
- Methods and material for containment and cleaning up:
- Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Dispose contaminated material as waste according to item 13.
- Dispose contaminatea material as waste according to item 15.
- Ensure adequate ventilation. • **Reference to other sections**
- See Section 7 for information on safe handling. See Section 8 for information on personal protection equipment.
- See Section 13 for disposal information.

7 Handling and storage

- Precautions for safe handling Ensure good ventilation/exhaustion at the workplace.
 Prevent formation of aerosols.
 Information about protection against explosions and fires:
- Keep ignition sources away Do not smoke. Protect from heat. Protect against electrostatic charges.
- · Conditions for safe storage, including any incompatibilities
- · Storage:
- Requirements to be met by storerooms and receptacles: Store in a cool location.
- Information about storage in one common storage facility: Store away from foodstuffs. Store away from oxidizing agents.
- Further information about storage conditions: Keep receptacle tightly sealed.
 Store in cool, dry conditions in well sealed receptacles.
 Protect from heat and direct sunlight.
 Specific end use(s) No further relevant information available.

(Contd. on page 4)

Printing date 10/30/2014

Reviewed on 02/13/2014

(Contd. of page 3)

Trade name: Glass Cleaner

· Control parameters

· Additional information about design of technical systems: No further data; see item 7.

· Components with limit values that require monitoring at the workplace: 67-63-0 propan-2-ol PEL Long-term value: 980 mg/m³, 400 ppm

8 Exposure controls/personal protection

- REL Short-term value: 1225 mg/m³, 500 ppm Long-term value: 980 mg/m³, 400 ppm
- Short-term value: 984 mg/m³, 400 ppm TLVLong-term value: 492 mg/m³, 200 ppm BEI

· Ingredients with biological limit values:

67-63-0 propan-2-ol

BEI 40 mg/L Medium: urine

Time: end of shift at end of workweek Parameter: Acetone (background, nonspecific)

· Additional information: The lists that were valid during the creation were used as basis.

· Exposure controls

- · Personal protective equipment:
- · General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed. Immediately remove all soiled and contaminated clothing. Wash hands before breaks and at the end of work. Avoid contact with the eyes.

Avoid contact with the eyes and skin.

· Breathing equipment:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air.

· Protection of hands:

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

· Material of gloves

Neoprene gloves Nitrile rubber, NBR

Fluorocarbon rubber (Viton)

Butyl rubber, BR

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye protection:



Tightly sealed goggles

(Contd. on page 5)

Printing date 10/30/2014

Reviewed on 02/13/2014

Trade name: Glass Cleaner

· Body protection: Solvent resistant protective clothing

Information on basic physical and	chemical properties
General Information Appearance:	
Form:	Liquid
Color:	Blue
· Odor:	Alcohol-like
• Odour threshold:	Not determined.
• pH-value at 20 °C (68 °F):	7
Change in condition	
Melting point/Melting range:	Undetermined.
Boiling point/Boiling range:	$> 82 \ ^{\circ}C \ (> 180 \ ^{\circ}F)$
Flash point:	> 13 °C (> 55 °F)
Flammability (solid, gaseous):	Not applicable.
Ignition temperature:	425 °C (797 °F)
Decomposition temperature:	Not determined.
• Auto igniting:	Product is not selfigniting.
Danger of explosion:	Product is not explosive. However, formation of explosive air/vapo mixtures are possible.
Explosion limits:	
Lower:	2.0 Vol %
Upper:	12.0 Vol %
· Vapor pressure at 20 °C (68 °F):	43 hPa (32 mm Hg)
Density at 20 °C (68 °F):	0.96 g/cm ³ (8.011 lbs/gal)
Relative density	Not determined.
· Vapour density	Not determined.
• Evaporation rate	Not determined.
Solubility in / Miscibility with	
Water:	Fully miscible.
Partition coefficient (n-octanol/wat	er): Not determined.
· Viscosity:	
Dynamic:	Not determined.
Kinematic:	Not determined.
Solvent content:	
Organic solvents:	22.3 %
Water:	77.6 %
VOC content:	22.3 %
	214.1 g/l / 1.79 lb/gl
Solids content:	0.1 %

(Contd. of page 4)

Printing date 10/30/2014

Reviewed on 02/13/2014

(Contd. of page 5)

Trade name: Glass Cleaner

• Other information

No further relevant information available.

10 Stability and reactivity

- · Reactivity
- · Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions Reacts with strong oxidizing agents.
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: Carbon monoxide

11 Toxicological information

· Information on toxicological effects

- Acute toxicity:
- Primary irritant effect:
- on the skin: No irritant effect.
- on the eye: Irritating effect.
- Sensitization: No sensitizing effects known.
- Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations: Harmful

Irritant

· Carcinogenic categories

· IARC (International Agency for Research on Cancer)

67-63-0 propan-2-ol

· NTP (National Toxicology Program)

None of the ingredients is listed.

· OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

12 Ecological information

- · Toxicity
- · Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- · *Bioaccumulative potential* No further relevant information available.
- Mobility in soil No further relevant information available.
- · Additional ecological information:

· General notes:

Water hazard class 1 (Self-assessment): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

- · Results of PBT and vPvB assessment
- **PBT:** Not applicable.
- · vPvB: Not applicable.

(Contd. on page 7)

3

USA

(Contd. of page 6)

Safety Data Sheet acc. to OSHA HCS

Printing date 10/30/2014

Reviewed on 02/13/2014

Trade name: Glass Cleaner

• Other adverse effects No further relevant information available.

13 Disposal considerations

· Waste treatment methods

· Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packagings:
- Recommendation: Disposal must be made according to official regulations.
- Recommended cleansing agent: Water, if necessary with cleansing agents.

UN-Number	UN1219
DOT, IMDG, IATA UN proper shipping name DOT IMDG, IATA	Isopropanol (Isopropyl alcohol), mixture ISOPROPANOL (ISOPROPYL ALCOHOL), mixture
Transport hazard class(es)	
DOT	
ruminale (DDD)	
Class	3 Flammable liquids
Label IMDG, IATA	3
Class	3 Flammable liquids
Label	3
Packing group DOT, IMDG, IATA	II
Environmental hazards: Marine pollutant:	No
Special precautions for user Danger code (Kemler): EMS Number:	33 F-E,S-D
Transport in bulk according to Annex MARPOL73/78 and the IBC Code	II of Not applicable.

Printing date 10/30/2014

Reviewed on 02/13/2014

Trade name: Glass Cleaner

	(Contd. of page
$\cdot \textit{Transport/Additional information:}$	
·DOT	
· Quantity limitations	On passenger aircraft/rail: 5 L
	On cargo aircraft only: 60 L
· IMDG	
· Limited quantities (LQ)	1L
\cdot Excepted quantities ($\widetilde{E}Q$)	Code: E2
	Maximum net quantity per inner packaging: 30 ml
	Maximum net quantity per outer packaging: 500 ml
· UN "Model Regulation":	UN1219, Isopropanol (Isopropyl alcohol), mixture, 3, II

15 Regulatory information

 \cdot Safety, health and environmental regulations/legislation specific for the substance or mixture \cdot Sara

· Section 355 (extremely hazardous substances):

None of the ingredients is listed.

· Section 313 (Specific toxic chemical listings):

67-63-0 propan-2-ol

· TSCA (Toxic Substances Control Act):

67-63-0 propan-2-ol

66455-15-0 C10-12 6 Mole Linear Alcohol Ethoxylate

7732-18-5 water, distilled, conductivity or of similar purity

· Proposition 65

· Chemicals known to cause cancer:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for females:

None of the ingredients is listed.

· Chemicalsknown to cause reproductive toxicity for males.

None of the ingredients is listed.

· Chemicals known to cause developmental toxicity:

None of the ingredients is listed.

· Carcinogenic categories

· EPA (Environmental Protection Agency)

None of the ingredients is listed.

• TLV (Threshold Limit Value established by ACGIH)

67-63-0 propan-2-ol

· NIOSH-Ca (National Institute for Occupational Safety and Health)

None of the ingredients is listed.

• GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS). (Contd. on page 9)

USA

A4

Printing date 10/30/2014

Reviewed on 02/13/2014

Trade name: Glass Cleaner

(Contd. of page 8) · Hazard pictograms GHS02 GHS07 · Signal word Danger · Hazard statements Highly flammable liquid and vapor. Causes serious eye irritation. May cause drowsiness or dizziness. · Precautionary statements If medical advice is needed, have product container or label at hand. Keep out of reach of children. Read label before use. Keep away from heat/sparks/open flames/hot surfaces. - No smoking. Use explosion-proof electrical/ventilating/lighting/equipment. IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Store locked up. Dispose of contents/container in accordance with local/regional/national/international regulations. · Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- · Department issuing MSDS: Environment protection department.
- · Date of preparation / last revision 10/30/2014 / -02/13/2014 • Abbreviations and acronyms: ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation IATA: International Air Transport Association ACGIH: American Conference of Governmental Industrial Hygienists EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA) VOC: Volatile Organic Compounds (USA, EU) Flam. Liq. 2: Flammable liquids, Hazard Category 2 Eye Irrit. 2A: Serious eye damage/eye irritation, Hazard Category 2A STOT SE 3: Specific target organ toxicity - Single exposure, Hazard Category 3