MATERIAL SAFETY DATA SHEET							
SECTION 1 - PROL	DUCT AND	COMPAN	Y IDEN	TIFICATIC)N		
PRODUCT NAME: FALL OUT REMOVER							
PRODUCT CODE: PK 7011				P	ower	Kle	en
GENERAL USE: Cleaning agent					ity Chemicals		
PRODUCT DESCRIPTION: Clear liquid, characterist	tic odor			2		o optilitier	
MANUFACTURER'S NAME		DATE PREP	ARED: J	uly 1, 2011			
Power Kleen Corporation		SUPERSED	ES: N	lay 26, 2008		Page 1	of 4
ADDRESS (NUMBER, STREET, P.O. BOX)		TELEPHONE NUMBER FOR INFORMATION					
101 South Bayview Blvd (CITY, STATE AND ZIP CODE)	COUNTRY	(813) 854-2648 EMERGENCY TELEPHONE NUMBER					
Oldsmar, FL 34677	USA	ChemTel Inc. 1- (800) 255-3924 Intl. + 01 (813) 248-0585					
SECTION	2 - HAZAR						
EMERGENCY OVERVIEW							
Corrosive liquid. Toxic by inhalation. Causes chemic	al burns to skin a	and eyes. Haza	ard Symbols	for this produ	ct: C Risk Pl	nrases - R 3	84, 37
POTENTIAL HEALTH EFFECTS	atomitroat Mosi	he hermeful if in	holod				
INHALATION: Corrosive and irritating to upper respir	ratory tract. May	be narmful if in	naled.				
SKIN: Corrosive and irritating; chemical burns may re	esult from contact	t.					
EYES: Corrosive; Causes immediate severe irritatior	of the over and e	wolide If not a	ujekly romo	ad by thorous	h irrigation wi	th water the	oro
may be prolonged or permanent visual impairment or					jii iiiigation wi	ui water, un	
INGESTION: Corrosive. Material is extremely destru	ctive to all tissue	s. May be harr	nful or fatal i	f swallowed.			
CARCINOGENICITY	NTP?	No	IARC MONC	GRAPHS? No	O OSHA R	EGULATED?	No
SECTION 3 - COMPC	DSITION / IN	FORMATIO	ON ON II				
HAZARDOUS COMPONENTS	CAS #	EINECS #	%	OSHA PEL			RQ
Oxalic acid	144-62-7	205-634-3	(by weight) 3 - 7	PPM MG/		MG/M3 1	LBS
	144-02-7	205-034-3	3-7			I	
(a) See Section 15							

MATERIAL SAFETY DATA SHEET

PRODUCT NAME: FALL OUT REMOVER

1.1.1.0011

Page 2 of 4

July 1, 2011		
	ON 4 - FIRST AID MEASURES	
INHALATION: Remove affected person to fresh air attention.	; if breathing has not returned to normal within a few minutes at	fter exposure, get medical
SKIN: Remove contaminated clothing; wash affecte persists, seek medical attention.	ed area with soap and water; launder contaminated clothing be	fore reuse; if irritation
EYES: Check for and remove contact lenses. Imm medical attention immediately.	ediately flush eyes for 15 minutes in clear running water while h	nolding eyelids open; seek
INGESTION: Drink two glasses of water followed b medical attention immediately.	y milk, milk of magnesia or other non-alcoholic liquids; DO NO	T induce vomiting; seek
SECTION	I 5 - FIRE FIGHTING MEASURES	
FLASH POINT (METHOD USED)	FLAMMABLE LIMITS LEL: Not applicable	UEL: Not applicable
Non-flammable	AUTOIGNITION TEMPERATURE: Not determined	NFPA CLASS: None
GENERAL HAZARDS: Product is corrosive. Produ monoxide.	icts of combustion include compounds of carbon, hydrogen and	d oxygen, including carbon
EXTINGUISHING MEDIA Carbon dioxide, water, water fog, dry chemical, ch	nemical foam.	
FIRE FIGHTING PROCEDURES Keep containers cool with water spray to prevent of	container rupture due to steam buildup; CAUTION - material is	corrosive.
UNUSUAL FIRE AND EXPLOSION HAZARDS Contact with B:C extinguisher powder may produc	e large amounts of carbon dioxide.	
HAZARDOUS COMBUSTION PRODUCTS Smoke, fumes or vapors, oxides of carbon, phosp	horous	
SECTION 6-	ACCIDENTAL RELEASE MEASURES	
Large spills - confine spill, soak up with approved at	EASED OR SPILLED: CAUTION - CORROSIVE. Wash sma psorbent, shovel product into approved container for disposal. nse Center (800) 424 - 8802; refer to CERCLA 40 CFR 302 for	For spills in excess of
SECTIO	N 7 - HANDLING AND STORAGE	
protect from extreme temperatures. Separate from	D STORAGE: Keep container closed when not in use; protect or oxidizing materials, metallic powders and other easily oxidized Keep this and other chemicals out of reach of children.	
	URE CONTROLS / PERSONAL PROTECTI	'ON
ENGINEERING CONTROLS The use of local exhaust ventilation is recommende	d. Use corrosion-resistant ventilation equipment.	
PERSONAL PROTECTION:		
	ile threshold limits are kept below maximum allowable concenti efer to 29 CFR 1910.134, ANSI Z88.2, or European Standard E	
PROTECTIVE GLOVES: Neoprene, butyl or nitrile	-	
EYE PROTECTION: Chemical splash goggles. Re	fer to 29 CFR 1910.133, ANSI Z87.1, or European Standard E	N166.
OTHER PROTECTIVE CLOTHING OR EQUIPMEN eyewash station nearby.	IT: Coveralls, apron, or other equipment should be worn to pre	event skin contact, safety

WORK / HYGIENIC PRACTICES: Practice safe workplace habits. Minimize body contact with this, as well as all chemicals in general.

MATERIAL SAFETY DATA SHEET						
PRODUCT NAME: FALL OUT REMOVER				Page 3 of 4		
July 1, 2011	ICAL AN		AL PROPERTIES			
APPEARANCE AND ODOR	OICAL AN		SITY (AIR = 1)			
Clear liquid, characteristic odor		>1				
SPECIFIC GRAVITY (WATER = 1)			ON RATE (Water = 1)			
1.020 SOLUBILITY IN WATER						
Complete		% VOLATILE (BY WEIGHT) 88%				
pH		VAPOR PRESSURE				
2.0 BOILING POINT		17 mm Hg @ 20° C				
212° F (100° C)		FREEZING POINT 32° F (0° C)				
VISCOSITY		VOLATILE ORGANIC COMPOUNDS (VOC's)				
Like that of water		None				
	0 - STABIL		REACTIVITY			
STABILITY UNSTABLE:	v		TO AVOID: Extreme temperature mmable hydrogen gas.	es. Contact with active metals		
STABLE: INCOMPATIBILITY (MATERIALS TO AVOID): Strong						
HAZARDOUS DECOMPOSITION OR BYPRODUCTS	S: Decompositio	on will not occur i	if handled and stored properly	y. In case of a fire, oxides of		
carbon, hydrocarbons, fumes or vapors, and smoke m HAZARDOUS POLYMERIZATION MAY OCCUR:	lay be produced		TO AVOID: None			
WILL NOT OCCUR:	х	001121110110				
SECTION 11	- TOXICOL	OGICAL IN	IFORMATION			
Hazardous Ingredients	CAS #	EINECS #	LD50 of Ingredient Species and Route	LC50 of Ingredient Species		
Oxalic acid	144-62-7	205-634-3	7500 mg / kg Oral - rat	Not established		
(a) See Section 15						
SECTION 1	2 - ECOLO	GICAL INF	ORMATION			
No data are available on the adverse effects of this ma				vailable. Record on the		
chemical composition of this product it is assumed that limited quantities. However, such treatment should be this mixture are classified as a Marine Pollutant.	it the mixture cai	n be treated in a	n acclimatized biological was	te treatment plant system in		
SECTION 1	3 - DISPOS	AL CONSI	DERATIONS			
SECTION 13 - DISPOSAL CONSIDERATIONS WASTE DISPOSAL METHOD: Dispose of in accordance with local, state, and federal regulations. Refer to 40 CFR 260 - 299 for complete						
waste disposal regulations for corrosive materials. Consult your local, state, or federal agency before disposing of any chemicals.						
SECTION 14 - TRANSPORT INFORMATION						
PROPER SHIPPING NAME:	PROPER SHIPPING NAME: Compounds, cleaning liquid, (oxalic acid)					
DOT HAZARD CLASS / Pack Group: 8 / III IATA HAZARD CLASS / Pack Group: 8 / III						
REFERENCE: 49 CFR 173.154, .203, .241 IMDG HAZARD CLASS: 8 / III						
UN / NA IDENTIFICATION NUMBER: UN 1760 RID/ADR Dangerous Goods Code: 8						
LABEL: CORROSIVE UN TDG Class / Pack Group: 8 / III HAZARD SYMBOLS: C Hazard Identification Number (HIN): 80						
Note: Transportation information provided is for reference only. Customer is urged to consult 49 CFR 100 - 177, IMDG, IATA, EC, United						
Nations TDG, and WHMIS (Canada) TDG information						

MATERIAL SAFETY DATA SHEET

PRODUCT NAME: FALL OUT REMOVER

July 1, 2011

SECTION 15 - REGULATORY INFORMATION

TSCA (Toxic Substance Control Act)

All components of this product are listed on the U.S. Toxic Substances Control Act Chemical Inventory (TSCA Inventory) or are exempted from listing because a Low Volume Exemption has been granted in accordance with 40 CFR 723.50.

SARA TITLE III (Superfund Amendments and Reauthorization Act)

311/312 Hazard Categories Immediate health

313 Reportable Ingredients:

None

CERCLA (Comprehensive Response Compensation and Liability Act)

(a) The Comprehensive Environmental Response, Compensation, and Liability Act (CERCLA) has notification requirements for releases or spills to the environment of the Reportable Quantity (RQ for this mixture = 20,000 lbs) or greater amounts, according to 40 CFR 302.

California Prop 65, Safe Drinking Water and Toxic Enforcement Act of 1986

There are no reportable chemicals present known to the state of California to cause cancer or reproductive toxicity.

CPR (Canadian Controlled Products Regulations)

This product has been classified in accordance with the hazard criteria of the Controlled Products Regulations and the MSDS contains all the information required by the Controlled Products Regulations. WHMIS Classification: E

IDL (Canadian Ingredient Disclosure List)

Components of this product identified by CAS number and listed on the Canadian Ingredient Disclosure List are shown in Section 3.

DSL / NDSL (Canadian Domestic Substances List / Non-Domestic Substances List)

Components of this product identified by CAS number are listed on the DSL or NDSL, or are otherwise in compliance with the New Substances Notification (NSN) regulations. Only ingredients classified as "hazardous" are listed in Section 3 unless otherwise indicated.

EINECS (European Inventory of Existing Commercial Chemical Substances)

Components of this product identified by CAS numbers are on the European Inventory of Existing Commercial Chemical Substances.

WGK Water Quality Index: 1	VbK Index: Not applicable				
Risk Phrases R34 Causes burns. R37 Irritating to respiratory system.	SYMBOL(S) REQUIRED FOR LABEL Corrosive	Safety Phrases S26 In case of contact with eyes, rinse immediately with plenty of water and seek medical advice. S36/37/39 Wear suitable protective clothing, gloves and eye/face protection S45 In case of accident or if you feel unwell, seek medical advice immediately (show the label whenever possible.)			
SECTIO	N 16 - OTHER INFO	RMAT	TION		
Specific toxicity tests have not been conducted on this ingredients, technical literature, and/or professional ex		n is base	d on Information from similar	products, the	
HMIS HAZARD RATINGS	HEALTH FLAMMABILITY PHYSICAL HAZARD	2 0 0	* = Chronic Health Hazard 0 = INSIGNIFICANT 1 = SLIGHT	2 = MODERATE 3 = HIGH 4 = EXTREME	
PERS	SONAL PROTECTIVE EQUIPMENT	C	Safety Glasses, Gloves, Apror	ı	
REVISION SUMMARY: This MSDS has been revised in the following section Complete format update	ns: MSDS Prepa Jamson La 101 South Oldsmar, F (813) 855 -	boratorie Bayview L 34677	es, Inc. Blvd.		
The information contained herein is believed to be accurate be manufacturer of the product and manufacturers of the compon applicable and suited to the circumstances of use. Vendor as reasonable safety procedures are not adhered to as stipulated of this material even if reasonable safety procedures are follow described in Section 1.	ents of the product. Users are advis sumes no responsibility for injury to I in the data sheet. Furthermore, ve	sed to con vendee o ndor assu	firm in advance of need that infor r third persons proximately cause mes no responsibility for injury ca	mation is current, d by the material if used by abnormal use	

Page 4 of 4