

**PowerKleen**  
Quality Chemicals • Superior Service

## Directions:

- **Dilute:** up to 4:1 for de-icing.
- Thoroughly cleans, lifting and loosening dirt and grime.
- Also removes finger prints, smudges, dust and dirt, lipstick, oil, grease, bugs and other foreign matter.
- Keep your washer system filled with windshield de-icer for carefree driving.
- Be sure defrosters are operating when windshield washer solvent is being used during freezing weather.

## CAUTION:

High concentrations are irritating to the respiratory tract; may cause headache, dizziness, nausea, vomiting and malaise. Contact with skin may cause slight irritation; prolonged contact may cause moderate reddening, swelling and possible necrosis. Contact with eyes will cause severe irritation and pain associated with redness and swelling of conjunctiva. If ingested may cause headache, dizziness, diarrhea and general weakness; large doses may result in red blood cell hemolysis.

## CAUTION:

**KEEP OUT OF REACH OF CHILDREN**  
**FLAMMABLE MIXTURE: CONTAINS METHYL ALCOHOL**  
**HARMFUL OR FATAL IF SWALLOWED**  
**DO NOT TAKE INTERNALLY.**


# Windshield De-Icer

**EXCLUSIVE DE-ICING SOLVENT FORMULA**

**Professional-Grade Concentrate**

- **NEW EXCLUSIVE WINDSHIELD WASHER DE-ICER AND SOLVENT**
  - **FAST & EASY TO USE**
  - **THOROUGHLY CLEANS, LIFTING AND LOOSENING DIRT AND GRIME.**
- **ALSO REMOVES FINGER PRINTS, SMUDGES, DUST AND DIRT, LIPSTICK, OIL, GREASE, BUGS AND OTHER FOREIGN MATTER.**

1 Gal.    5 Gal.    55 Gal.    275 Gal.



## TRANSPORT INFORMATION:

Proper Shipping Name - Methyl Alcohol Mixture  
DOT Hazard Class - 3 Packing Group - II  
ID# - UN 1230

**Inhalation:** Remove affected person to fresh air; provide oxygen if breathing is difficult; if affected person is not breathing, administer CPR and seek emergency medical attention.

**Skin:** Remove contaminated clothing; wash affected area with soap and water; launder contaminated clothing before reuse; if irritation persists, seek medical attention.

**Eyes:** Check for and remove contact lenses. Flush eyes with clear running water for 15 minutes while holding eyelids open; if irritation persists, seek medical attention.

**Ingestion:** Induce vomiting by administering Syrup of Ipecac U.S.P., soapy water, or by sticking finger down throat. Repeat until vomit is clear. Seek immediate medical attention.

**PowerKleen**

Quality Chemicals • Superior Service

Power Kleen Corporation

To Reorder, Call: (813) 854-2648

FAX (813) 854-3133

In Case Of Chemical Emergency Contact

Chem-Tel 24 Hours (800) 255-3924

www.PowerKleen.com