Printing date 11/20/2014

Reviewed on 02/18/2014

1 Identification	
· Product identifier	
· Trade name: <u>Tar Solvent</u>	Jamson Labs Power Kleen
• Article number: 7035 PK	IM
 Details of the supplier of the safety data sheet Manufacturer/Supplier: Power Kleen Corporation 101 South Bayview Blvd. OLDSMAR, FL 34677 USA 	Chemical Solutions Since 1973
• Information department: Product Safety Departmen • Emergency telephone number: ChemTel Inc. (800)	
2 Hazard(s) identification	
· Classification of the substance or mixture	
GHS02 Flame	
Flam. Liq. 3 H226 Flammable liquid and vapour.	
GHS08 Health hazard	
Resp. Sens. 1 H334 May cause allergy or asthma sy	ymptoms or breathing difficulties if inhaled.
Asp. Tox. 1 H304 May be fatal if swallowed and a	enters airways.
GHS07	
Skin Irrit. 2 H315 Causes skin irritation.	
Eye Irrit. 2A H319 Causes serious eye irritation.	
Skin Sens. 1 H317 May cause an allergic skin read	ction.
 Label elements GHS label elements The product is classified and la Hazard pictograms 	beled according to the Globally Harmonized System (GHS).
GHS02 GHS08	
· Signal word Danger	
• Hazard-determining components of labeling: d-Limonene (Citrus Terpenes) Stoddard solvent	
Solvent naphtha (petroleum), medium aliph. • Hazard statements	
Flammable liquid and vapour.	
	(Contd. on page 2) USA

Printing date 11/20/2014

Reviewed on 02/18/2014

Trade name: Tar Solvent

	(Contd. of page 1)
Causes skin irritation.	
Causes serious eye irritation.	
May cause allergy or asthma symptoms or breathing difficulties if inhaled.	
May cause an allergic skin reaction.	
May be fatal if swallowed and enters airways.	
· Precautionary statements	
If medical advice is needed, have product container or label at hand.	
Keep out of reach of children.	
Read label before use.	
Keep away from heat/sparks/open flames/hot surfaces No smoking.	
Use explosion-proof electrical/ventilating/lighting/equipment.	
IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing.	
IF IN EYES: Rinse cautiously with water for several minutes. Remove contac	ct lenses, if present and easy to do.
Continue rinsing.	
Store locked up.	
Dispose of contents/container in accordance with local/regional/national/interr	national regulations.
· Classification system:	
·NFPA ratings (scale 0 - 4)	
Health = 2	
$\frac{1}{2}$ Fire = 2	
$\frac{2}{Reactivity} = 0$	
$\mathbf{V} = \mathbf{V}$	
· HMIS-ratings (scale 0 - 4)	
HEALTH *2 $Health = *2$	
FIRE 2 $Fire = 2$	
$\frac{1}{\text{REACTIVITY}[0]} Reactivity = 0$	
Reactivity - 0	
· Other hazards	
· Results of PBT and vPvB assessment	
· PBT: Not applicable.	
• vPvB : Not applicable.	

- · Chemical characterization: Mixtures
- **Description:** Mixture of the substances listed below with nonhazardous additions.

· Dangerous components:		
8052-41-3	Stoddard solvent	25-50%
94266-47-4	d-Limonene (Citrus Terpenes)	25-50%
	Solvent naphtha (petroleum), medium aliph.	10-25%
66455-15-0	C10-12 6 Mole Linear Alcohol Ethoxylate	2.5-10%
95-63-6	1,2,4-trimethylbenzene	<i>≤</i> 2.5%
108-67-8	mesitylene	≤ 2.5%

(Contd. on page 3)

Printing date 11/20/2014

Reviewed on 02/18/2014

Trade name: Tar Solvent

(Contd. of page 2)

Desc	cription of first aid measures
	eral information:
	ptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hour
	the accident.
5	r inhalation:
	bly fresh air and to be sure call for a doctor.
	use of unconsciousness place patient stably in side position for transportation.
	r skin contact: Immediately wash with water and soap and rinse thoroughly.
•	r eye contact:
	ove contact lenses if able to do so.
	e opened eye for several minutes under running water. If symptoms persist, consult a doctor.
	r swallowing:
	not induce vomiting; immediately call for medical help.
	e out mouth and then drink plenty of water.
	inister medicinal carbon
	rson vomiting while lying on their back should be turned onto their side.
	t important symptoms and effects, both acute and delayed
	ma attacks
Allei	rgic reactions
Nau	
Crai	np
	tric or intestinal disorders
Brec	uthing difficulty
Dan	
	ger of pulmonary edema.
	ger of disturbed cardiac rhythm.
	ger of impaired breathing.
	cation of any immediate medical attention and special treatment needed
	vallowed or in case of vomiting, danger of entering the lungs.
	ical supervision for at least 48 hours.
	r observation for pneumonia and pulmonary edema.

5 Fire-fighting measures

- · Extinguishing media
- Suitable extinguishing agents:
- CO2, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam. Special hazards arising from the substance or mixture
- In case of fire, the following can be released: Carbon monoxide (CO)
- · Advice for firefighters
- · Protective equipment: Mouth respiratory protective device.

6 Accidental release measures

• *Personal precautions, protective equipment and emergency procedures Keep away from ignition sources*

Product forms slippery surface when combined with water. Particular danger of slipping on leaked/spilled product.

(Contd. on page 4)

USA

Printing date 11/20/2014

Reviewed on 02/18/2014

Trade name: Tar Solvent

	(Contd. of page 3)				
• Environmental precautions:					
Do not allow product to reach sewage system or any water course.					
Inform respective authorities in case of seepage into water course or sewage system. Do not allow to enter sewers/ surface or ground water.					
· Methods and material for containment and cleaning up:					
Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).					
Dispose contaminated material as waste according to item 13.					
Ensure adequate ventilation.					
· Reference to other sections					
See Section 7 for information on safe handling.					
See Section 8 for information on personal protection equipment.					
See Section 13 for disposal information.					
7 Handling and storage					
· Precautions for safe handling					
Ensure good ventilation/exhaustion at the workplace.					
Prevent formation of aerosols.					
· Information about protection against explosions and fires:					
Protect from heat.					
Protect against electrostatic charges.					
• Conditions for safe storage, including any incompatibilities					
· Conditions for safe storage, including any incompatibilities · Storage:					
• Requirements to be met by storerooms and receptacles: No special requirements.					
\mathbf{M}					

- Information about storage in one common storage facility: Store away from foodstuffs. Store away from oxidizing agents.
- Further information about storage conditions: Keep receptacle tightly sealed. Protect from heat and direct sunlight.
 Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

```
· Components with limit values that require monitoring at the workplace:
```

8052-41-3 Stoddard solvent

- PEL Long-term value: 2900 mg/m³, 500 ppm
- REL Long-term value: 350 ppm Ceiling limit value: 1800* mg/m³ *15-min

TLV Long-term value: 525 mg/m³, 100 ppm

• Additional information: The lists that were valid during the creation were used as basis.

· Exposure controls

- · Personal protective equipment:
- · General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed. Immediately remove all soiled and contaminated clothing.

(Contd. on page 5)


[•] Additional information about design of technical systems: No further data; see item 7.

[·] Control parameters

Printing date 11/20/2014

Reviewed on 02/18/2014

Trade name: Tar Solvent



Printing date 11/20/2014

Reviewed on 02/18/2014

		(Contd. of page 2
· Ignition temperature:	230 °C (446 °F)	
· Decomposition temperature:	Not determined.	
· Auto igniting:	Product is not selfigniting.	
· Danger of explosion:	Not determined.	
• Explosion limits:		
Lower:	0.6 Vol %	
Upper:	6.5 Vol %	
· Vapor pressure at 20 °C (68 °F):	6.6 hPa (5 mm Hg)	
• Density at 20 °C (68 °F):	0.818 g/cm ³ (6.826 lbs/gal)	
· Relative density	Not determined.	
· Vapour density	Not determined.	
· Evaporation rate	Not determined.	
· Solubility in / Miscibility with		
Water:	Not miscible or difficult to mix.	
· Partition coefficient (n-octanol/wate	e r): Not determined.	
· Viscosity:		
Dynamic:	Not determined.	
Kinematic:	Not determined.	
· Solvent content:		
Organic solvents:	19.3 %	
VOC content:	19.3 %	
	157.9 g/l / 1.32 lb/gl	
• Other information	No further relevant information available.	

10 Stability and reactivity

- · Reactivity
- · Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- Possibility of hazardous reactions Reacts with oxidizing agents. Reacts with peroxides. Reacts with oxygen.
- \cdot Conditions to avoid No further relevant information available.
- $\cdot \textit{Incompatible materials: } No \ further \ relevant \ information \ available.$
- Hazardous decomposition products: Hydrocarbons Carbon monoxide and carbon dioxide

(Contd. on page 7)

USA

Printing date 11/20/2014

Reviewed on 02/18/2014

Trade name: Tar Solvent

(Contd. of page 6)

Acute toxi		cological effects
	-	t are relevant for classification:
		naphtha (petroleum), medium aliph.
Oral	LD50	>6500 mg/kg (rat)
Dermal	LD50	>3000 mg/kg (rab)
		>14 mg/l (rat)
Primary ir	ritant effe	ct:
		to skin and mucous membranes.
on the eye.	: Irritating	effect.
Sensitizati	on:	
Sensitizatio	on possible	e through inhalation.
Sensitizatio	on possible	e through skin contact.
Additional	toxicologi	ical information:
		e following dangers according to internally approved calculation methods for preparation
Harmful		
Irritant		
Carcinoge	nic catego	ries
IARC (Int	ernational	Agency for Research on Cancer)
1330-20-7	xylene (m	ix)
NTP (Nati	onal Toxic	cology Program)
None of the	e ingredien	nts is listed.
OSHA-Ca	(Occupati	ional Safety & Health Administration)
	· -	nts is listed.

12 Ecological information

· Toxicity

- Aquatic toxicity: No further relevant information available.
- Persistence and degradability No further relevant information available.
- · Bioaccumulative potential No further relevant information available.
- *Mobility in soil* No further relevant information available.
- · Ecotoxical effects:
- · Remark: Toxic for fish
- · Additional ecological information:
- · General notes:
- Water hazard class 2 (Self-assessment): hazardous for water
- Do not allow product to reach ground water, water course or sewage system.
- Danger to drinking water if even small quantities leak into the ground.
- Also poisonous for fish and plankton in water bodies.
- Toxic for aquatic organisms
- · Results of PBT and vPvB assessment
- **PBT:** Not applicable.
- **vPvB:** Not applicable.
- Other adverse effects No further relevant information available.

USA

Printing date 11/20/2014

Reviewed on 02/18/2014

Trade name: Tar Solvent

(Contd. of page 7)

13 Disposal considerations

· Waste treatment methods

· Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packagings:
- *Recommendation: Disposal must be made according to official regulations.*

UN-Number	
DOT	Not regulated
IMDG, IATA	UN1993
UN proper shipping name	
IMDG	FLAMMABLE LIQUID, N.O.S. (Stoddard solvent, d-Limone (Citrus Terpenes)), MARINE POLLUTANT
IATA	FLAMMABLE LIQUID, N.O.S. (Stoddard solvent, d-Limone (Citrus Terpenes))
Transport hazard class(es)	
DOT	
~~	
COMBUSTIBLE	
V	
Not applicable	
IMDG	
Class	3 Combustible liquids
Label	3
IATA	
Class	3 Combustible liquids
Label	3
Packing group	
	Not applicable
IMDG, IATA	111
Environmental hazards:	Product contains environmentally hazardous substances: Limonene (Citrus Terpenes)
Marine pollutant:	Yes Symbol (fish and tree)

Printing date 11/20/2014

Reviewed on 02/18/2014

Trade name: Tar Solvent

	(Contd. of page
· Special precautions for user	
· Danger code (Kemler):	30
• EMS Number:	<i>F-E</i> , <u><i>S-E</i></u>
· Transport in bulk according to Annex II	l of
MARPOL73/78 and the IBC Code	Not applicable.
· Transport/Additional information:	
·DOT	
• Quantity limitations	On passenger aircraft/rail: 60 L
	On cargo aircraft only: 220 L
· IMDG	
· Limited quantities (LQ)	5L
\cdot Excepted quantities (EQ)	Code: E1
• • • • •	Maximum net quantity per inner packaging: 30 ml
	Maximum net quantity per outer packaging: 1000 ml
· UN "Model Regulation":	UN1993, Flammable liquids, n.o.s. (Stoddard solvent, d-Limonen (Citrus Terpenes)), ENVIRONMENTALLY HAZARDOUS, 3, III

15 Regulatory information

 \cdot Safety, health and environmental regulations/legislation specific for the substance or mixture \cdot Sara

· Section 355	5 (extremely hazardous substances):	
None of the	ingredients is listed.	
· Section 313	(Specific toxic chemical listings):	
95-63-6	1,2,4-trimethylbenzene	
1330-20-7	xylene (mix)	
· TSCA (Toxi	ic Substances Control Act):	
8052-41-3	Stoddard solvent	
64742-88-7	Solvent naphtha (petroleum), medium aliph.	
66455-15-0	C10-12 6 Mole Linear Alcohol Ethoxylate	
95-63-6	1,2,4-trimethylbenzene	
108-67-8	mesitylene	
8002-09-3	Pine Oil	
1330-20-7	xylene (mix)	
· Proposition	65	
· Chemicals k	known to cause cancer:	
None of the	ingredients is listed.	
· Chemicals k	known to cause reproductive toxicity for females:	
None of the	ingredients is listed.	
· Chemicalsk	nown to cause reproductive toxicity for males.	
None of the	ingredients is listed.	
· Chemicals k	known to cause developmental toxicity:	
None of the	ingredients is listed.	
	(Co	ontd. on page

Printing date 11/20/2014

Reviewed on 02/18/2014

Trade name: Tar Solvent

(Contd. of page 9)

Ι

A4

· Carcinogenic categories

· EPA (Environmental Protection Agency)

1330-20-7 xylene (mix)

· TLV (Threshold Limit Value established by ACGIH)

1330-20-7 xylene (mix)

· NIOSH-Ca (National Institute for Occupational Safety and Health)

None of the ingredients is listed.

• *GHS label elements* The product is classified and labeled according to the Globally Harmonized System (GHS). • *Hazard pictograms*



· Signal word Danger

· Hazard-determining components of labeling: d-Limonene (Citrus Terpenes) Stoddard solvent Solvent naphtha (petroleum), medium aliph. · Hazard statements Flammable liquid and vapour. Causes skin irritation. Causes serious eye irritation. May cause allergy or asthma symptoms or breathing difficulties if inhaled. May cause an allergic skin reaction. May be fatal if swallowed and enters airways. · Precautionary statements If medical advice is needed, have product container or label at hand. Keep out of reach of children. Read label before use. Keep away from heat/sparks/open flames/hot surfaces. - No smoking. Use explosion-proof electrical/ventilating/lighting/equipment. IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Store locked up. Dispose of contents/container in accordance with local/regional/national/international regulations. · Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Department issuing MSDS: Environment protection department.

- Date of preparation / last revision 11/20/2014 / -02/18/2014
- · Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

(Contd. on page 11)

USA

Printing date 11/20/2014

Reviewed on 02/18/2014

Trade name: Tar Solvent

	(Contd. of page 10)
IMDG: International Maritime Code for Dangerous Goods	
DOT: US Department of Transportation	
IATA: International Air Transport Association	
ACGIH: American Conference of Governmental Industrial Hygienists	
EINECS: European Inventory of Existing Commercial Chemical Substances	
ELINCS: European List of Notified Chemical Substances	
CAS: Chemical Abstracts Service (division of the American Chemical Society)	
NFPA: National Fire Protection Association (USA)	
HMIS: Hazardous Materials Identification System (USA)	
VOC: Volatile Organic Compounds (USA, EU)	
LC50: Lethal concentration, 50 percent	
LD50: Lethal dose, 50 percent	
Flam. Liq. 3: Flammable liquids, Hazard Category 3	
Skin Irrit. 2: Skin corrosion/irritation, Hazard Category 2	
Eye Irrit. 2A: Serious eye damage/eye irritation, Hazard Category 2A	
Resp. Sens. 1: Sensitisation - Respirat., Hazard Category 1	
Skin Sens. 1: Sensitisation - Skin, Hazard Category I	
Asp. Tox. 1: Aspiration hazard, Hazard Category 1	
	LISA