

# Safety Data Sheet

acc. to OSHA HCS

Printing date 12/31/2014

Reviewed on 02/21/2014

## 1 Identification

- **Product identifier**
- **Trade name:** Wash N Wax 28
- **Article number:** 7828 PK
- **Details of the supplier of the safety data sheet**
- **Manufacturer/Supplier:**  
Power Kleen Corporation  
101 South Bayview Blvd.  
OLDSMAR, FL 34677  
USA
- **Information department:** Product Safety Department
- **Emergency telephone number:** ChemTel Inc. (800) 255-3924 Intl. +01 (813) 248-0585



## 2 Hazard(s) identification

- **Classification of the substance or mixture**



GHS05 Corrosion

Eye Dam. 1 H318 Causes serious eye damage.



GHS07

Skin Irrit. 2 H315 Causes skin irritation.

- **Label elements**

- **GHS label elements** The product is classified and labeled according to the Globally Harmonized System (GHS).
- **Hazard pictograms**



GHS05

- **Signal word** Danger
- **Hazard-determining components of labeling:**  
Sodium Dodecyl Benzene Sulfonate
- **Hazard statements**  
Causes skin irritation.  
Causes serious eye damage.
- **Precautionary statements**  
If medical advice is needed, have product container or label at hand.  
Keep out of reach of children.  
Read label before use.  
Wear protective gloves/protective clothing/eye protection/face protection.  
Avoid release to the environment.  
Wash thoroughly after handling.  
Do not eat, drink or smoke when using this product.  
**IF SWALLOWED:** Call a POISON CENTER or doctor/physician if you feel unwell.  
**IF exposed or concerned:** Get medical advice/attention.

(Contd. on page 2)

USA

# Safety Data Sheet

acc. to OSHA HCS

Printing date 12/31/2014

Reviewed on 02/21/2014

Trade name: Wash N Wax 28

(Contd. of page 1)

- **Classification system:**

- **NFPA ratings (scale 0 - 4)**



- **HMIS-ratings (scale 0 - 4)**

HEALTH	2	Health = 2
FIRE	0	Fire = 0
REACTIVITY	0	Reactivity = 0

- **Other hazards**

- **Results of PBT and vPvB assessment**

- **PBT:** Not applicable.

- **vPvB:** Not applicable.

### 3 Composition/information on ingredients

- **Chemical characterization: Mixtures**

- **Description:** Mixture of the substances listed below with nonhazardous additions.

- **Dangerous components:**

68081-81-2	Sodium Dodecyl Benzene Sulfonate	2.5-10%
66455-15-0	C10-12 6 Mole Linear Alcohol Ethoxylate	≤ 2.5%

### 4 First-aid measures

- **Description of first aid measures**

- **After inhalation:** In case of unconsciousness place patient stably in side position for transportation.

- **After skin contact:** Immediately wash with water and soap and rinse thoroughly.

- **After eye contact:**

Remove contact lenses if able to do so.

Rinse opened eye for several minutes under running water. Then consult a doctor.

- **After swallowing:**

Do not induce vomiting; immediately call for medical help.

Rinse out mouth and then drink plenty of water.

A person vomiting while lying on their back should be turned onto their side.

- **Most important symptoms and effects, both acute and delayed**

Allergic reactions

Cramp

Gastric or intestinal disorders

Nausea

- **Danger** Large doses may result in red blood cell hemolysis.

- **Indication of any immediate medical attention and special treatment needed**

Treat skin and mucous membrane with antihistamine and corticoid preparations.

Medical supervision for at least 48 hours.

USA

(Contd. on page 3)

# Safety Data Sheet

acc. to OSHA HCS

Printing date 12/31/2014

Reviewed on 02/21/2014

Trade name: Wash N Wax 28

(Contd. of page 2)

## 5 Fire-fighting measures

- **Extinguishing media**
- **Suitable extinguishing agents:**  
CO<sub>2</sub>, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
- **Special hazards arising from the substance or mixture** No further relevant information available.
- **Advice for firefighters**
- **Protective equipment:** No special measures required.

## 6 Accidental release measures

- **Personal precautions, protective equipment and emergency procedures** Not required.
- **Environmental precautions:**  
Dilute with plenty of water.  
Do not allow to enter sewers/ surface or ground water.
- **Methods and material for containment and cleaning up:**  
Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).  
Ensure adequate ventilation.
- **Reference to other sections**  
See Section 7 for information on safe handling.  
See Section 8 for information on personal protection equipment.  
See Section 13 for disposal information.

## 7 Handling and storage

- **Precautions for safe handling**  
Ensure good ventilation/exhaustion at the workplace.  
Prevent formation of aerosols.
- **Information about protection against explosions and fires:** No special measures required.
- **Conditions for safe storage, including any incompatibilities**
- **Storage:**
- **Requirements to be met by storerooms and receptacles:** No special requirements.
- **Information about storage in one common storage facility:**  
Store away from oxidizing agents.  
Store away from foodstuffs.
- **Further information about storage conditions:** None.
- **Specific end use(s)** No further relevant information available.

## 8 Exposure controls/personal protection

- **Additional information about design of technical systems:** No further data; see item 7.
- **Control parameters**
- **Components with limit values that require monitoring at the workplace:**  
The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.
- **Additional information:** The lists that were valid during the creation were used as basis.
- **Exposure controls**
- **Personal protective equipment:**
- **General protective and hygienic measures:**  
Keep away from foodstuffs, beverages and feed.

(Contd. on page 4)

USA

# Safety Data Sheet

acc. to OSHA HCS

Printing date 12/31/2014

Reviewed on 02/21/2014

Trade name: Wash N Wax 28

(Contd. of page 3)

*Immediately remove all soiled and contaminated clothing.*

*Wash hands before breaks and at the end of work.*

*Avoid contact with the skin.*

*Avoid contact with the eyes and skin.*

· **Breathing equipment:**

*In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air.*

· **Protection of hands:**



Protective gloves

*The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.*

*Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.*

*Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation*

· **Material of gloves**

*Neoprene gloves*

*PVC or PE gloves*

*Nitrile rubber, NBR*

*Butyl rubber, BR*

*The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.*

· **Penetration time of glove material**

*The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.*

· **Not suitable are gloves made of the following materials:** *Leather gloves*

· **Eye protection:**



Tightly sealed goggles

· **Body protection:** *Alkaline resistant protective clothing*

## 9 Physical and chemical properties

· **Information on basic physical and chemical properties**

· **General Information**

· **Appearance:**

**Form:** Liquid

**Color:** Yellow

· **Odor:** Characteristic

· **Odour threshold:** Not determined.

· **pH-value at 20 °C (68 °F):** 8

· **Change in condition**

**Melting point/Melting range:** Undetermined.

**Boiling point/Boiling range:** 100 °C (212 °F)

· **Flash point:** Not applicable.

(Contd. on page 5)

# Safety Data Sheet

acc. to OSHA HCS

Printing date 12/31/2014

Reviewed on 02/21/2014

Trade name: Wash N Wax 28

(Contd. of page 4)

· <b>Flammability (solid, gaseous):</b>	Not applicable.
· <b>Ignition temperature:</b>	300 °C (572 °F)
· <b>Decomposition temperature:</b>	Not determined.
· <b>Auto igniting:</b>	Product is not selfigniting.
· <b>Danger of explosion:</b>	Product does not present an explosion hazard.
· <b>Explosion limits:</b>	
<b>Lower:</b>	Not determined.
<b>Upper:</b>	Not determined.
· <b>Vapor pressure:</b>	Not determined.
· <b>Density at 20 °C (68 °F):</b>	1.05 g/cm <sup>3</sup> (8.762 lbs/gal)
· <b>Relative density</b>	Not determined.
· <b>Vapour density</b>	Not determined.
· <b>Evaporation rate</b>	Not determined.
· <b>Solubility in / Miscibility with Water:</b>	Fully miscible.
· <b>Partition coefficient (n-octanol/water):</b>	Not determined.
· <b>Viscosity:</b>	
<b>Dynamic:</b>	Not determined.
<b>Kinematic:</b>	Not determined.
· <b>Solvent content:</b>	
<b>Organic solvents:</b>	0.0 %
<b>Water:</b>	86.6 %
<b>VOC content:</b>	6.3 %
	0.1 g/l / 0.00 lb/gl
<b>Solids content:</b>	7.1 %
· <b>Other information</b>	No further relevant information available.

## 10 Stability and reactivity

- **Reactivity**
- **Chemical stability**
- **Thermal decomposition / conditions to be avoided:** No decomposition if used according to specifications.
- **Possibility of hazardous reactions** Reacts with strong acids and oxidizing agents.
- **Conditions to avoid** No further relevant information available.
- **Incompatible materials:** No further relevant information available.
- **Hazardous decomposition products:**
  - Sulfur oxides (SO<sub>x</sub>)
  - Nitrogen oxides
  - Carbon monoxide and carbon dioxide

USA

(Contd. on page 6)

# Safety Data Sheet

acc. to OSHA HCS

Printing date 12/31/2014

Reviewed on 02/21/2014

Trade name: Wash N Wax 28

(Contd. of page 5)

## 11 Toxicological information

- **Information on toxicological effects**

- **Acute toxicity:**

- **Primary irritant effect:**

- **on the skin:** Irritant to skin and mucous membranes.

- **on the eye:** Strong irritant with the danger of severe eye injury.

- **Sensitization:** Sensitizing effect by skin contact is possible with prolonged exposure.

- **Additional toxicological information:**

The product shows the following dangers according to internally approved calculation methods for preparations:  
Irritant

- **Carcinogenic categories**

- **IARC (International Agency for Research on Cancer)**

111-76-2	2-butoxyethanol	3
67-63-0	propan-2-ol	3

- **NTP (National Toxicology Program)**

None of the ingredients is listed.

- **OSHA-Ca (Occupational Safety & Health Administration)**

None of the ingredients is listed.

## 12 Ecological information

- **Toxicity**

- **Aquatic toxicity:** No further relevant information available.

- **Persistence and degradability** No further relevant information available.

- **Bioaccumulative potential** No further relevant information available.

- **Mobility in soil** No further relevant information available.

- **Additional ecological information:**

- **General notes:**

Water hazard class 2 (Self-assessment): hazardous for water

Do not allow product to reach ground water, water course or sewage system.

Danger to drinking water if even small quantities leak into the ground.

- **Results of PBT and vPvB assessment**

- **PBT:** Not applicable.

- **vPvB:** Not applicable.

- **Other adverse effects** No further relevant information available.

## 13 Disposal considerations

- **Waste treatment methods**

- **Recommendation:**

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

- **Uncleaned packagings:**

- **Recommendation:** Disposal must be made according to official regulations.

- **Recommended cleansing agent:** Water, if necessary with cleansing agents.

USA

(Contd. on page 7)

# Safety Data Sheet

acc. to OSHA HCS

Printing date 12/31/2014

Reviewed on 02/21/2014

Trade name: Wash N Wax 28

(Contd. of page 6)

## 14 Transport information

· <b>UN-Number</b>	
· <b>DOT</b>	Not regulated
· <b>UN proper shipping name</b>	
· <b>DOT</b>	Not regulated
· <b>Transport hazard class(es)</b>	
· <b>DOT</b>	Not applicable
· <b>Packing group</b>	
· <b>DOT</b>	Not applicable
· <b>Environmental hazards:</b>	
· <b>Marine pollutant:</b>	No
· <b>Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code</b>	Not applicable.
· <b>UN "Model Regulation":</b>	Not regulated

## 15 Regulatory information

· <b>Safety, health and environmental regulations/legislation specific for the substance or mixture</b>	
· <b>Sara</b>	
· <b>Section 355 (extremely hazardous substances):</b>	
None of the ingredients is listed.	
· <b>Section 313 (Specific toxic chemical listings):</b>	
7758-29-4	pentasodium triphosphate
111-76-2	2-butoxyethanol
67-63-0	propan-2-ol
· <b>TSCA (Toxic Substances Control Act):</b>	
68081-81-2	Sodium Dodecyl Benzene Sulfonate
66455-15-0	C10-12 6 Mole Linear Alcohol Ethoxylate
7758-29-4	pentasodium triphosphate
68648-87-3	Benzene C-10-16 Alkylate
7757-82-6	sodium sulphate
68604-75-1	Fatty Acids ,coco, reaction products with diethylenetriamine and soya fatty acids, ethoxylated, chloromethane quaternized.
4719-04-4	2,2',2''-(hexahydro-1,3,5-triazine-1,3,5-triyl)triethanol
111-76-2	2-butoxyethanol
67-63-0	propan-2-ol
56-81-5	glycerol
1300-72-7	sodium xylenesulphonate
7732-18-5	water, distilled, conductivity or of similar purity
· <b>Proposition 65</b>	
· <b>Chemicals known to cause cancer:</b>	
None of the ingredients is listed.	

(Contd. on page 8)

# Safety Data Sheet

acc. to OSHA HCS

Printing date 12/31/2014

Reviewed on 02/21/2014

Trade name: Wash N Wax 28

(Contd. of page 7)

· **Chemicals known to cause reproductive toxicity for females:**

None of the ingredients is listed.

· **Chemicals known to cause reproductive toxicity for males:**

None of the ingredients is listed.

· **Chemicals known to cause developmental toxicity:**

None of the ingredients is listed.

· **Carcinogenic categories**

· **EPA (Environmental Protection Agency)**

111-76-2	2-butoxyethanol	NL
----------	-----------------	----

· **TLV (Threshold Limit Value established by ACGIH)**

111-76-2	2-butoxyethanol	A3
67-63-0	propan-2-ol	A4

· **NIOSH-Ca (National Institute for Occupational Safety and Health)**

None of the ingredients is listed.

· **GHS label elements** The product is classified and labeled according to the Globally Harmonized System (GHS).

· **Hazard pictograms**



GHS05

· **Signal word** Danger

· **Hazard-determining components of labeling:**

Sodium Dodecyl Benzene Sulfonate

· **Hazard statements**

Causes skin irritation.

Causes serious eye damage.

· **Precautionary statements**

If medical advice is needed, have product container or label at hand.

Keep out of reach of children.

Read label before use.

Wear protective gloves/protective clothing/eye protection/face protection.

Avoid release to the environment.

Wash thoroughly after handling.

Do not eat, drink or smoke when using this product.

IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell.

IF exposed or concerned: Get medical advice/attention.

· **Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

## 16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· **Department issuing MSDS:** Environment protection department.

· **Date of preparation / last revision**

12/31/2014 / -

Revised 6/6/2014 to DDBSA sodium salt base.

(Contd. on page 9)



**Safety Data Sheet**  
**acc. to OSHA HCS**

Printing date 12/31/2014

Reviewed on 02/21/2014

**Trade name: Wash N Wax 28**

(Contd. of page 8)

**· Abbreviations and acronyms:**

*DOT: US Department of Transportation*  
*ACGIH: American Conference of Governmental Industrial Hygienists*  
*EINECS: European Inventory of Existing Commercial Chemical Substances*  
*ELINCS: European List of Notified Chemical Substances*  
*CAS: Chemical Abstracts Service (division of the American Chemical Society)*  
*NFPA: National Fire Protection Association (USA)*  
*HMIS: Hazardous Materials Identification System (USA)*  
*VOC: Volatile Organic Compounds (USA, EU)*  
*Skin Irrit. 2: Skin corrosion/irritation, Hazard Category 2*  
*Eye Dam. 1: Serious eye damage/eye irritation, Hazard Category 1*

USA