


**Jamson Labs**

Quality Chemicals Since 1973

**Directions:**

- Follow the recommended dilutions for best results.
- Not recommended for wood or cork floors.
- May affect pigments of low grade asphalt tile if used at stronger concentrations than 1 to 10, so caution is necessary when stripping asphalt tile.
- Always test a small area first.
- This product requires dilution with water to work.
- Never apply undiluted product directly to floor.

**1. Dilute Ultra Super Strip as follows:**

Light: 1 part stripper to 24 parts hot water.

Normal: 1 part stripper to 20 parts hot water.

Heavy: 1 part stripper to 16 parts hot water.

**2. Apply solution and allow 10 minutes for the chemical to do its work:**

Agitate well with floor machine equipped with stripping pad to liquify the wax before picking up with wet vac or mop.

**3. Rinse floor with clear water and mop dry:**

After stripped floor is clean and dry, reapply floor finish.

**KEEP OUT OF REACH OF CHILDREN.**
**DO NOT TAKE INTERNALLY.**
**AVOID CONTACT WITH EYES.**

# Ultra Super Strip

## WAX STRIPPER & INDUSTRIAL CLEANER

### SUPER HEAVY DUTY FORMULA

- **REMOVES AND CLEANS THE TOUGHEST WAXES, SYNTHETIC POLYMERS AND URETHANE FORTIFIED FINISHES FROM TILE, TERRAZZO AND CONCRETE FLOORS**
- **REMOVES AGED BURNISHED FILMS AND BUILDUPS**
- **SUPER CONCENTRATE DISSOLVES THE TOUGHEST OF POLYMERS WITH SOLVENT LIKE PENETRATION**

 1 Gal.

 5 Gal.

 55 Gal.

 275 Gal.

**Inhalation:** None Expected. Remove affected person to fresh air; if symptoms persist seek medical attention.

**Skin:** None Expected. Remove contaminated clothing; wash affected area with soap and water; launder contaminated clothing before reuse; if irritation persists, seek medical attention.

**Eyes:** Check for and remove contact lenses. Flush eyes with clear running water for 15 minutes while holding eyelids open; if irritation persists, seek medical attention.

**Ingestion:** Give two glasses of water for dilution; DO NOT induce vomiting; never give anything by mouth to an unconscious person; seek medical attention.

**TRANSPORT INFORMATION:**

Proper Shipping Name - Not Regulated for Transport by Truck

DOT Hazard Class - Not Regulated

Packing Group - Not Regulated

ID# - None


**Jamson Labs**

Quality Chemicals Since 1973

Jamson Laboratories Inc.

(813) 855-4565

FAX (813) 854-3133

In Case Of Chemical Emergency Contact

Chem-Tel 24 Hours (800) 255-3924