Printing date 03/20/2014

Reviewed on 03/20/2014

## **1** Identification

- · Product identifier
- · Trade name: Ethyl Acetate
- · Article number: 0415 JLM
- CAS Number: 141-78-6
- *EC number:* 205-500-4
- Index number: 607-022-00-5

- **Jamson Labs** Quality Chemicals Since 1973
- Details of the supplier of the safety data sheet • Manufacturer/Supplier: Jamson Laboratories, Inc. 101 South Bayview Blvd. Oldsmar, FL 34677 USA
- Information department: Product Safety Department
  Emergency telephone number: ChemTel Inc. (800) 255-3924 Intl. +01 (813) 248-0585

2 Hazard(s) identification

· Classification of the substance or mixture

GHS02 Flame

Flam. Liq. 2 H225 Highly flammable liquid and vapor.



*Eye Irrit.* 2A H319 Causes serious eye irritation. STOT SE 3 H336 May cause drowsiness or dizziness.

#### · Label elements

• *GHS label elements* The substance is classified and labeled according to the Globally Harmonized System (GHS). • *Hazard pictograms* 



Signal word Danger
Hazard statements
Highly flammable liquid and vapor.
Causes serious eye irritation.
May cause drowsiness or dizziness.
Precautionary statements
If medical advice is needed, have product container or label at hand.
Keep out of reach of children.
Read label before use.

(Contd. on page 2)

USA

Printing date 03/20/2014

Reviewed on 03/20/2014

## Trade name: Ethyl Acetate

	(Contd. of page 1)
Keep away from heat/sparks/open flames/hot surfaces. No smoking.	(
Use explosion-proof electrical/ventilating/lighting/equipment.	
IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with we	
IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present	and easy to do.
Continue rinsing.	
Store locked up.	
Dispose of contents/container in accordance with local/regional/national/international regulation	<i>S</i> .
· Classification system:	
· NFPA ratings (scale 0 - 4)	
$I_{lag} = 1$	
$\begin{array}{c} \textbf{3} \\ \textbf{Health} = 1 \\ Fire = 3 \end{array}$	
1  0  Reactivity = 0	
Keacuvary = 0	
· HMIS-ratings (scale 0 - 4)	
HEALTH 1 $Health = 1$	
<b>REACTIVITY O</b> $Reactivity = 0$	
· Other hazards	
· Results of PBT and vPvB assessment	
• <b>PBT:</b> Not applicable.	
· <b>vPvB:</b> Not applicable.	
3 Composition/information on ingredients	
· Chemical characterization: Substances	
· CAS No. Description	
141-78-6 ethyl acetate	
· Identification number(s)	
· EC number: 205-500-4	
· Index number: 607-022-00-5	
4 First-aid measures	
4 I' ir st-uiu measures	
· Description of first aid measures	
· After inhalation:	
Supply fresh air and to be sure call for a doctor.	
In case of unconsciousness place patient stably in side position for transportation.	
· After skin contact:	
Immediately wash with water and soap and rinse thoroughly.	
Generally the product does not irritate the skin.	
· After eye contact:	
Remove contact lenses if able to do so.	
Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.	
• After swallowing:	
A person vomiting while lying on their back should be turned onto their side.	
Do not induce vomiting; immediately call for medical help.	
If symptoms persist consult doctor.	
· Information for doctor: Most important supertones and effects, both south and delayed	
• Most important symptoms and effects, both acute and delayed Nausea	
1400360	(Contd. on page 3)
	USA —

Printing date 03/20/2014

Reviewed on 03/20/2014

(Contd. of page 2)

#### Trade name: Ethyl Acetate

Cramp

Dizziness Headache

• Indication of any immediate medical attention and special treatment needed If swallowed or in case of vomiting, danger of entering the lungs.

## **5** Fire-fighting measures

- · Extinguishing media
- Suitable extinguishing agents: CO2, sand, extinguishing powder. Do not use water.
- · For safety reasons unsuitable extinguishing agents: Water with full jet
- · Special hazards arising from the substance or mixture No further relevant information available.
- · Advice for firefighters
- · Protective equipment: No special measures required.

#### **6** Accidental release measures

• Personal precautions, protective equipment and emergency procedures Wear protective equipment. Keep unprotected persons away.

• Environmental precautions:

Do not allow product to reach sewage system or any water course. Inform respective authorities in case of seepage into water course or sewage system. Do not allow to enter sewers/ surface or ground water.

• *Methods and material for containment and cleaning up:* Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Ensure adequate ventilation.

Do not flush with water or aqueous cleansing agents

• *Reference to other sections* See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

## 7 Handling and storage

- · Handling:
- **Precautions for safe handling** Ensure good ventilation/exhaustion at the workplace. Prevent formation of aerosols.
- Information about protection against explosions and fires: Keep ignition sources away - Do not smoke. Protect against electrostatic charges.
- · Conditions for safe storage, including any incompatibilities

· Storage:

- *Requirements to be met by storerooms and receptacles: Provide solvent resistant, sealed floor. Store in a cool location.*
- Information about storage in one common storage facility: Store away from foodstuffs. Store away from oxidizing agents.
- Further information about storage conditions: Keep receptacle tightly sealed.

(Contd. on page 4)

USA

Printing date 03/20/2014

Reviewed on 03/20/2014

Trade name: Ethyl Acetate

Store in cool, dry conditions in well sealed receptacles.

· Specific end use(s) No further relevant information available.

### 8 Exposure controls/personal protection

• Additional information about design of technical systems: No further data; see item 7.

· Control parameters

· Components with limit values that require monitoring at the workplace:

141-78-6 ethyl acetate

PEL Long-term value: 1400 mg/m<sup>3</sup>, 400 ppm

REL Long-term value: 1400 mg/m<sup>3</sup>, 400 ppm

TLV Long-term value: 1440 mg/m<sup>3</sup>, 400 ppm

• Additional information: The lists that were valid during the creation were used as basis.

· Exposure controls

- · Personal protective equipment:
- General protective and hygienic measures: Keep away from foodstuffs, beverages and feed. Immediately remove all soiled and contaminated clothing. Wash hands before breaks and at the end of work. Avoid contact with the eyes. Avoid contact with the eyes and skin.
- · Breathing equipment:

Use suitable respiratory protective device when high concentrations are present.

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air.

• Protection of hands:

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

Material of gloves
 Neoprene gloves

PVC or PE gloves

Fluorocarbon rubber (Viton)

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer.

· Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Not suitable are gloves made of the following materials: Leather gloves

• Eye protection:

Tightly sealed goggles

· Body protection: Solvent resistant protective clothing

(Contd. on page 5)

(Contd. of page 3)

Printing date 03/20/2014

Reviewed on 03/20/2014

Trade name: Ethyl Acetate

(Contd. of page 4)

Information on basic physical and c	homical properties				
General Information	nemical properties				
Appearance:					
Form:	Fluid				
Color:	Colorless				
Odor:	Fruit-like				
Odour threshold:	Not determined.				
pH-value:	Not determined.				
Change in condition					
Melting point/Melting range:	-83.57 °C (-118 °F)				
Boiling point/Boiling range:	77 °C (171 °F)				
Flash point:	-1 °C (30 °F)				
Flammability (solid, gaseous):	Not applicable.				
Ignition temperature:	460 °C (860 °F)				
Decomposition temperature:	Not determined.				
Auto igniting:	Not determined.				
Danger of explosion:	Product is not explosive. However, formation of explosive air/vapor mixtures are possible.				
Explosion limits:					
Lower:	2.1 Vol %				
Upper:	11.5 Vol %				
Vapor pressure at 20 °C (68 °F):	97 hPa (73 mm Hg)				
Density at 20 °C (68 °F):	0.902 g/cm <sup>3</sup> (7.527 lbs/gal)				
Relative density	Not determined.				
Vapour density	Not determined.				
Evaporation rate	Not determined.				
Solubility in / Miscibility with					
<i>Water at 20 °C (68 °F):</i>	79 g/l				
Partition coefficient (n-octanol/wate	r): Not determined.				
Viscosity:					
Dynamic:	Not determined.				
Kinematic:	Not determined.				
Organic solvents:	99.0 %				
VOC content:	99.0 %				
	893.0 g/l / 7.45 lb/gl				
Solids content:	1.0 %				
Other information	No further relevant information available.				

# **10** Stability and reactivity

· Reactivity

· Chemical stability

• Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.

(Contd. on page 6) USA

Printing date 03/20/2014

Reviewed on 03/20/2014

#### Trade name: Ethyl Acetate

(Contd. of page 5)

• **Possibility of hazardous reactions** Reacts with oxidizing agents.

Flammable.

· Conditions to avoid No further relevant information available.

- · Incompatible materials: No further relevant information available.
- Hazardous decomposition products: Carbon monoxide and carbon dioxide No dangerous decomposition products known.

## **11 Toxicological information**

· Information on toxicological effects

• Acute toxicity:

· LD/LC50 values that are relevant for classification:

141-78-6 ethyl acetate

Oral LD50 5620 mg/kg (rabbit)

Inhalative LC50/4 h 1600 mg/l (rat)

· Primary irritant effect:

• on the skin: No irritant effect.

• on the eye: Irritating effect.

• Sensitization: No sensitizing effects known.

• Additional toxicological information:

· Carcinogenic categories

· IARC (International Agency for Research on Cancer)

Substance is not listed.

· NTP (National Toxicology Program)

Substance is not listed.

### **12** Ecological information

· Toxicity

- · Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- Mobility in soil No further relevant information available.
- · Additional ecological information:

· General notes:

Water hazard class 1 (Assessment by list): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

- · Results of PBT and vPvB assessment
- **PBT:** Not applicable.
- **vPvB:** Not applicable.
- · Other adverse effects No further relevant information available.

(Contd. on page 7)

Printing date 03/20/2014

Reviewed on 03/20/2014

Trade name: Ethyl Acetate

(Contd. of page 6)

## 13 Disposal considerations

#### · Waste treatment methods

#### · Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packagings:
- Recommendation: Disposal must be made according to official regulations.

UN-Number					
DOT, IMDG, IATA	UN1173				
UN proper shipping name					
DOT	Ethyl acetate, solution				
IMDG, IATA	ETHYL ACETATE, solution				
Transport hazard class(es)					
DOT					
FLAMMABLE LIQUID					
<b>V</b>					
Class	3 Flammable liquids.				
Label	3				
IMDG, IATA					
Class	3 Flammable liquids.				
Label	3				
Packing group					
	II				
DOT, IMDG, IATA	11				
	11				
DOT, IMDG, IATA	No				
DOT, IMDG, IATA Environmental hazards: Marine pollutant: Special precautions for user	No				
DOT, IMDG, IATA Environmental hazards: Marine pollutant: Special precautions for user Danger code (Kemler):	No 33				
DOT, IMDG, IATA Environmental hazards: Marine pollutant: Special precautions for user	No				
DOT, IMDG, IATA Environmental hazards: Marine pollutant: Special precautions for user Danger code (Kemler): EMS Number: Transport in bulk according to Annex	No 33 F-E,S-D				
DOT, IMDG, IATA Environmental hazards: Marine pollutant: Special precautions for user Danger code (Kemler): EMS Number:	No 33 F-E,S-D				

(Contd. on page 8)

Printing date 03/20/2014

Reviewed on 03/20/2014

Trade name: Ethyl Acetate

(Contd. of page 7)

	_	-		
	0.000	out o was a	 0 10100 00	4- 00
	τρυπ		 	
101		latory		

- $\cdot$  Safety, health and environmental regulations/legislation specific for the substance or mixture  $\cdot$  Sara
- · Section 355 (extremely hazardous substances):
- Substance is not listed.
- · Section 313 (Specific toxic chemical listings):
- Substance is not listed.
- TSCA (Toxic Substances Control Act):
- Substance is listed.
- · Proposition 65
- · Chemicals known to cause cancer:
- Substance is not listed.
- · Chemicals known to cause reproductive toxicity for females:
- Substance is not listed.
- · Chemicalsknown to cause reproductive toxicity for males.
- Substance is not listed.
- · Chemicals known to cause developmental toxicity:
- Substance is not listed.
- · Carcinogenic categories
- · EPA (Environmental Protection Agency)
- Substance is not listed.
- · TLV (Threshold Limit Value established by ACGIH)
- Substance is not listed.
- · NIOSH-Ca (National Institute for Occupational Safety and Health)
- Substance is not listed.
- · OSHA-Ca (Occupational Safety & Health Administration)
- Substance is not listed.
- *GHS label elements* The substance is classified and labeled according to the Globally Harmonized System (GHS). *Hazard pictograms*



Signal word Danger
Hazard statements
Highly flammable liquid and vapor.
Causes serious eye irritation.
May cause drowsiness or dizziness.
Precautionary statements
If medical advice is needed, have product container or label at hand.
Keep out of reach of children.
Read label before use.
Keep away from heat/sparks/open flames/hot surfaces. No smoking.
Use explosion-proof electrical/ventilating/lighting/equipment.

USA

Printing date 03/20/2014

Reviewed on 03/20/2014

#### Trade name: Ethyl Acetate

(Contd. of page 8)

IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

Store locked up.

Dispose of contents/container in accordance with local/regional/national/international regulations. · Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

#### **16 Other information**

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- · Department issuing MSDS: Environment protection department.
- Date of preparation / last revision 03/20/2014

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

ACGIH: American Conference of Governmental Industrial Hygienists

EINECS: European Inventory of Existing Commercial Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society)

NFPA: National Fire Protection Association (USA)

HMIS: Hazardous Materials Identification System (USA)

VOC: Volatile Organic Compounds (USA, EU)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

<sup>·</sup> Abbreviations and acronyms: