


Jamson Labs

Quality Chemicals Since 1973

Directions:
- With foaming device and floor drains available:

1. Remove or cover all food product in area.
2. Clean loose soil from surfaces and equipment with high pressure sprayer and hot water.
3. Add product to foaming device and apply with hot water to all washable surfaces including floors, walls, tables, and equipment. Allow foam to cling to surface at least 5 minutes.
4. Rinse with hot water using pressure sprayer or hose. Tilt movable surfaces to aid complete draining.

- **Soak Cleaning:** Utensils, filters, and equipment may be cleaned by soaking in a solution of one part product to 15-20 parts hot water. Scrub when necessary and rinse with clear water.

- **General Purpose Cleaning:** Add one part cleaner to 15-20 parts of hot water. Apply to washable surfaces with mop, sponge, cloth or sprayer.

- Allow time for soil emulsification then scrub manually or with machines. Pick up foam and rinse with clear hot water. Rubber or plastic gloves are recommended for manual operations. Rinse metal surfaces immediately with clear water.

- The use of all cleaning compounds in the edible product processing areas of federally inspected meat and poultry plants must be followed with a potable water rinse to remove the cleaner.

KEEP OUT OF REACH OF CHILDREN.
DO NOT TAKE INTERNALLY.
AVOID CONTACT WITH EYES.

Foam Up

FOAMING GREASE DISSOLVER

USDA A-1 RATED

- **SPECIALLY FORMULATED TO REMOVE FATS & GREASE**
- **A HIGH FOAMING BLEND OF DETERGENTS, BUILDERS, AND SOLVENTS DESIGNED TO QUICKLY DISSOLVE AND EMULSIFY FATS AND GREASE, THEN FOAM THEM AWAY**
- **DESIGNED FOR ALL HARD SURFACES IN FOOD AND MEAT PROCESSING AREAS**

 1 Gal.

 5 Gal.

 55 Gal.

 275 Gal.

Inhalation: None Expected. Remove affected person to fresh air; if symptoms persist seek medical attention.

Skin: None Expected. Remove contaminated clothing; wash affected area with soap and water; launder contaminated clothing before reuse; if irritation persists, seek medical attention.

Eyes: Check for and remove contact lenses. Flush eyes with clear running water for 15 minutes while holding eyelids open; if irritation persists, seek medical attention.

Ingestion: Give two glasses of water for dilution; DO NOT induce vomiting; never give anything by mouth to an unconscious person; seek medical attention.

TRANSPORT INFORMATION:

Proper Shipping Name - Not Regulated for Transport by Truck

DOT Hazard Class - Not Regulated

Packing Group - Not Regulated

ID# - None


Jamson Labs

Quality Chemicals Since 1973

Jamson Laboratories Inc.

(813) 855-4565

FAX (813) 854-3133

In Case Of Chemical Emergency Contact

Chem-Tel 24 Hours (800) 255-3924