

PowerKleen
Quality Chemicals • Superior Service

Directions:

SHOCK TREATMENT INITIAL CLEANING

Note: Shock treatment must be done in the kitchen and floor preparation areas and for first time use for clean grout lines.

- Sweep floor clean of debris, wet with water, pour concentrated ANTI-SLIP direct onto floor and grout and spread evenly.
- Allow product to remain on surface for 10 minutes. Scrub floor aggressively with a deck brush and rinse thoroughly with clean water.
- Allow to dry.

MANUAL DISPENSING:

- Pour 3 ounces of ANTI-SLIP into a gallon container, then fill with water.
- If using any other size container, dilute 3 ounces of ANTI-SLIP for each gallon of water used.
- Allow to remain on surface for 5 minutes and rinse.
- For best results, use ANTI-SLIP daily.

Use on Tile, Concrete Glazed Tile, Resilient Tile, Vinyl, Ceramic Tile, Linoleum, Terrazzo, Rubber Mats, Brick & Stone Hard Surfaces.

DANGER:

DO NOT MIX WITH OTHER CHEMICALS - MIXING WITH BLEACH WILL RELEASE DANGEROUS CHLORINE GAS.

DO NOT TAKE INTERNALLY. HARMFUL IF SWALLOWED.

DO NOT BREATHE VAPOR OR FUMES

AVOID CONTACT WITH EYES AND SKIN AND CLOTHING.

CAUTION: KEEP OUT OF REACH OF CHILDREN.

Anti-Slip

PREMIUM FLOOR CLEANER, CONDITIONER & DEGREASER

INDUSTRIAL STRENGTH FORMULATION

**HELPS INCREASE THE FRICTION OF THE FLOOR,
THEREBY INCREASING SLIP RESISTANT QUALITY. DEEP
CLEANS TILE FLOORS REMOVING GREASE BUILD UP
THAT CAUSES SLIPPERY FLOORS.**

- **FREE RINSING** • **FAST, EASY, ECONOMICAL**
- **NON-FLAMMABLE** • **BIODEGRADABLE** • **WATER BASED**

1 Gal. 5 Gal. 55 Gal. 275 Gal.



TRANSPORT INFORMATION:

Proper Shipping Name -
Corrosive liquids, N.O.S.,
(Contains Hydrochloric Acid)
DOT Hazard Class - 8 Packing Group - III
ID# - UN 1760

Inhalation: Remove affected person to fresh air. If breathing difficulty persists, seek medical attention.

Skin: Remove contaminated clothing; wash affected area with soap and water; if irritation persists, seek medical attention. Launder contaminated clothing before reuse.

Eyes: Check for and remove any contact lenses. Immediately flush eyes with clear running water for 15 minutes while holding eyelids open. Seek medical attention immediately.

Ingestion: Drink two glasses of water followed by milk, milk of magnesia or other non-alcoholic liquids; DO NOT induce vomiting; seek medical attention immediately.

PowerKleen

Quality Chemicals • Superior Service

Power Kleen Corporation

To Reorder, Call: (813) 854-2648

FAX (813) 854-3133

In Case Of Chemical Emergency Contact

Chem-Tel 24 Hours (800) 255-3924

www.PowerKleen.com